WEST BENGAL COMPREHENSIVE AREA DEVELOPMENT CORPORATION 6a, Raja Subodh Mullick Square,(9th floor) Kolkata-700013 Phone: 2237-7041/43 Fax: 2237-7473.emil-wbcadc.engg@gmail.com

NIT No: 8/ 2014-15

Dated: 29.10.2014

NOTICE INTVITING TENDER

Sealed item rate tenders for under mentioned supply in WBCADC Form No.-102 are invited by WBCADC from the manufacturers/ authorized distributors/dealers in two fold Envelope system (i.e. Techno Commercial Bid & Price Bid) for supply of 05(five) nos **SEED PROCESSING MACHINE** with all accessories to different projects of WBCADC located in the different districts of West Bengal. [The intending tenderers will have to collect the tender documents by downloading only through the website www.wbprd.nic.in/ www.wbprd.gov.in]

1	a)	Name of the supply	:	Supply of 5(five) nos SEED PROCESSING MACHINE with all accessories
	b)	Location of supply	:	Different project offices of WBCADC located in the different districts of West Bengal.
	c)	Cost of tender documents		Rs 2550.00(Two thousand five hundred fifty only) in the shape of Demand Draft /Banker's cheque issued from any Nationalized /Scheduled Bank in favour of WBCADC payable at Kolkata.
	d)	Earnest money to be deposited on lump sum basis	:	Rs 84,000.00(Rupees eighty four thousand only) in the shape of Demand Draft /Banker's cheque issued from any Nationalized /Scheduled Bank in favour of WBCADC payable at Kolkata
	e)	Time for completion of work	:	45(forty five)days from the date of issue of work order
	f)	Date of publication of N.I.T. in website	:	31.10.2014
	g)	Last date & limit for submission of tender(off line)	:	21.11.2014 up to 2.00 p.m.
	h)	Date and time for opening of the tender (Techno commercial bid)	:	21.11.2014 at 2.30 p.m.

2. The tender document and other relevant particulars may be seen by the intending tenderers on any working day between 11.30 a.m. to 3.30 p.m. in the Notice Board of this office at 6A, Raja Subodh Mullick Square, 9th floor, Kolkata -13, as well as in the website **www.wbprd.nic.in/**<u>www.wbprd.gov.in</u>. from 31.10.2014 to 21.11.2014 upto 11-30 hrs. However, [The intending tenderers will have to collect the tender documents by downloading only through the website www.wbprd.nic.in/ www.wbprd.gov.in]. No tender documents will directly be issued to any tenderer from this office under any circumstances.

3. Tender documents shall consist of:-

- a. This Notice Inviting Tender hereinafter will be referred to as the Tender Notice.
- b. WBCADC Form No.-102 hereinafter will be referred to as the tender form.
- c. Instruction to Bidders (SECTION-A).
- d. Pre-qualification application [(SECTION-B), Form –I].

- e. Different affidavits ("X" & "Y") [(SECTION-B)].
- f. Structure and Organization of the Bidder [(SECTION-B), Form -II].
- g. Special terms and conditions.(Section-C)
- h. Bill of Quantities (BOQ) [SECTION-D)].
- i. Technical specification of the Seed Processing machine to be supplied and installed (SECTION-E).
- j. List showing the tentative quantities of machinery to be supplied and installed at each concerned Project. (SECTION-F)

4. a) For participating in the above tender, the cost of tender documents (Tender fees) are to be remitted as mentioned in SI. No.1© of this N.I.T. in the shape Demand Draft/Banker's cheque issued from any Natiolized/Schedule Bank in favour of WBCADC payable at Kolkata. <u>No Cash payment for the purpose will be allowed</u>. Such demand draft/Banker's cheque towards cost of tender documents should be submitted by the tenderers in statutory cover under technical proposal. Cost of tender documents (tender fees) is non refundable.

b) Each tenderer shall submit tender documents duly filled up in a specified box kept in Ag. Cell, CADC (HQ), at 6A Raja Subodh Mullick Sqr., 9th fl., Kol-13 within the date and time mentioned here in earlier in Sl.. No.-1 (g) of this N.I.T.

5. Each tenderer will have to deposit earnest money of the amount specified in SI.No.1(d) of this N.I.T. in favour of WBCADC in the form of Demand Draft/Banker's cheque on any Nationalized/Schedule Bank payable at Kolkata which must be accompanied with the tender. In case of non submission of earnest money authenticated copy/copies of documentary evidence/ Govt. order etc, in support of the entitlement of the tenderer for exemption to deposit any earnest money for participating in tender should invariably be submitted failing which the tender will be treated as informal and liable to be rejected.

6. Eligibility criteria for participation in the tender.

6.1. The offer for the supply is being invited from the manufacturers/authorized distributors/ dealers. Therefore, the intending tenderers should either be the manufacturers or the authorized distributors/dealers of the machineries to be supplied.

6.2. In case if it is found that the tenderer has supplied and installed no similar type machineries in the last three financial year under any Govt. order, the offer submitted by him will be treated as cancelled. **The decision of the Tender Evaluation Committee (TEC) in this regard is final & binding to the tenderers.**

6.3. Income Tax Acknowledgement Receipt for the latest Assessment year, latest P. Tax Deposit Challan, Pan Card, VAT Registration Certificate are to be accompanied with the Technical Bid Documents.

[Non-statutory documents]

6.4. Registered Partnership Deed for Partnership Firm is to be submitted. The company shall furnish the Article of Association and Memorandum.

Where an individual person signs the tender in his own name against the company or the firm which he happens to be a director or partner, such individual person shall, while submitting any tender for and on behalf of such company or firm, invariably **submit a copy of registered power of attorney showing clear authorization in his favour**, by the rest of the directors of such company or the partners of such firm, to submit such tender.

[Non-statutory documents]

6.5. Registered Unemployed Engineers' Co-operative Societies / Labour Co- operative Societies are required to furnish valid Bye Law, Current Audit Report, Minutes of last A.G.M. along with other relevant supporting papers.

[Non-statutory documents]

7. The selected tenderer will have to keep himself in readiness to complete the supply within the target rate as directed by the authority [within 45(forty five) days from the date of issue of supply order] fully understanding that the time will be the essence of the contract. The tenderer shall inform this office time to time about the position of the supply so as to enable the authority to belief that the total supply will be completed within the stipulated time of the supply order, failing which the department will have the every right to take appropriate action and to execute the supply as per the relevant clauses of the tender form.

8. No mobilization advance will be allowed under any circumstances.

9. No interest on earnest money deposited by the tenderer and the security deposit (which will be deducted from the bill/bills of the Contractor) will be allowed under any circumstances.

10. No claim, whatsoever, for delaying payment, if any will be entertained. Bidders are requested to quote their rate accordingly.

11. Conditional /in complete tender will not be accepted under any circumstances.

12. List showing the Exact quantity of machineries to be delivered and installed at each place (project) will be provided along with supply order.

13. Bids shall remain valid for a period not less than 120 (one hundred twenty) days from the last date of submission of Financial Bid. If the bidder withdraws the bid during the validity period of bid, the earnest money as deposited will be forfeited forthwith without assigning any reason thereof.

14. During scrutiny, if it comes to the notice of the tender inviting authority that the credential or any other paper found incorrect / manufactured / fabricated, that bidder would not be allowed to participate in the tender and that application will be rejected without any prejudice.

15 The Administrative Secretary WBCADC, reserves the right to cancel the N.I.T. due to unavoidable circumstances and no claim in this respect will be entertained.

16. Before issuance of the SUPPLY ORDER, the tender inviting authority may verify the credential and other documents of the lowest tenderer if found necessary. After verification if it is found that the documents submitted by the lowest tenderer is either manufactured or false in that case supply order will not be issued in favour of the said Tenderer under any circumstances.

17. If any discrepancy arises between two similar clauses on different notification, the clause as stated in later notification will supersede former one in following sequence:-

- a) Tender Form (WBCADC Form No.-102)
- b) N.I.T.
- c) Special Terms & Conditions
- d) Technical Bid and
- e) Financial Bid

18. Administrative Secretary, WBCADC/ Officer in Charge of concerned CADC Project/ Programme Coordinator, KVK, Sonamukhi will play the roll of Project Engineer/ Project Director/ Dy Project Director, WBCADC/ T.O., KVK (as applicable) for imposition of different clauses and for other works narrated in enclosed Tender Form.

19. **Qualification Criteria**:

The tender inviting and Accepting Authority through a "Tender Evaluation Committee" will determine the eligibility of each bidder. The bidders shall have to meet all the minimum criteria regarding:

(a) Financial Capacity

- (b) Technical Capability.
- (c) Experience / Credential

The eligibility of a bidder will be ascertained on the basis of the document(s) in support of the minimum criteria as mentioned in (a), (b) & (c) above and the declaration executed through prescribed affidavit in non-judicial stamp paper of appropriate value duly notarized. If any document submitted by a bidder is either manufactured or false, in such cases the eligibility of the bidder/ tenderer will be rejected at any stage without any prejudice.

20. No. price preference and other concession will be allowed.

21. Prospective applicants are advised to note carefully the minimum qualification criteria as mentioned in "**instruction to bidders**" stated in Section – 'A' before tendering the bids.

22. On receipt of intimation from the appropriate authority, earnest money deposited by the unsuccessful tenderers will be refunded from the office of the undersigned. The earnest money of the tenderers other than 03(three) lowest tenderers will be refunded within 10(ten) days after the comparative statement of rates obtained has been prepared checked and approved by the competent authority. The earnest money of 02(two) lowest tenderers out of 03(three) will be refunded within 07(seven) days after issuance of supply order to the lowest tenderers.

23. In case of successful tenderers, the deposited earnest money will be refunded from the office of the undersigned, after completion of the satisfactory supply in all respect to the concerned projects and necessary testing of machineries in presence of the representative of the recipient projects including submission of test certificate as applicable.

24. The intending bidders shall clearly understand that whatever may be the outcome of the present invitation of bids, cost of bidding shall not be reimbursed by the Corporation. The Administrative Secretary, WBCADC, reserves the right to accept or reject any offer without assigning any reason whatsoever and is not liable for any cost that might have been incurred by any tenderer at the stage of bidding. Cost of tender documents (tender fees) submitted by the participant tenderers are non-refundable.

25. It may clearly be understood that he quantity of implements as indicated in the BOQ are approximate only and may be appreciably decreased /increased at the desires of the Authority during the actual execution. The contract shall remain unaffected by such deviations.

26. The undersigned reserves the right to split and distribute the total supply among the tenderers as he found suitable. He also reserves the right to cancel any tender without assigning any reason thereof. He is also not bound to accept the lowest tenderer.

27. If the day on which the tender is due has been or is declared a closed holiday of Government offices under the Govt. of West Bengal, the offer shall remain open for acceptance till the same hour of the next working day.

28. Canvassing in connection with the tender is strictly prohibited and the tenderer who resorts to this will render his tender liable to rejection.

29. Rate quoted by the different tenderers for the supply should be inclusive of all taxes, duties, transportation etc. and for these nothing will be paid extra. The machineries are to be installed in different Projects of WBCADC under different Districts as per location fixed by the authority at the cost of the tenderer. For this also nothing will be paid extra. Bidders should consider all such costs at the time of quoting their rates in tender.

30. The tenderer is requested to quote strictly as per the terms and conditions, specification, standards given in the tender document and not to stipulate any deviations. However deviations, if unavoidable, should be indicated in a separate sheet indicating the back ground against which the deviations are taken.

Addenda to this tender document if issued must be signed and submitted along with the tender document. The tenderer should write clearly the revised quantities in 'Schedule of Supply' of Tender document and should price the work based on the revised quantities when amendment for quantities are issued in addenda.

Rates to be quoted

The tenderer should quote in English both in figures as well as in words the rate and amount tendered by him and in such a way that interpolation is not possible.

The tender shall contain the names, residence and place of business of person or persons making the tender and shall be signed by the tenderer with his usual signatures Partnership firms shall furnish the full names of all partners or by duly authorized representative followed by name and designation of the person signing. Tender by corporation shall be signed by an authorized representative and a power of attorney on their behalf shall accompany the tender.

Filling of tender form and other documents shall clearly and legibly be written and whole writing must by the hand of person signing tender and with same pen and ink. Failure to do so makes the tender invalid. Erasing or overwriting shall not be allowed. Correction of the said writing should be avoided and if this becomes unavoidable, the entire quotation and not a portion only shall be scored out and signed by the tenderer in token of such cancellation. A fresh quotation shall then be written correctly.

31. Each and every pages of tender documents to be submitted alongwith the tender form as mentioned above (which to be submitted in separate envelopes) shall be duly signed by the tenderer with official seal failure of which the tender shall be liable for rejection.

32. Tenderers should also study carefully the content of N.I.T. and other tender documents before submission of the tender in order to be conversant with the provision stipulated in the N.I.T., Tender form, Special terms & conditions, technical specification etc. Subsequent ignorance of terms and conditions of the N.I.T. and other tender documents shall not constitute a ground for preferring a claim of any nature.

33. This N.I.T. shall form a part of the contract document.

Sd/-

ADMINISTRATIVE SECRETARY WBCADC

Memo No.:100/003/24/02/NIT/520/1(9)

Dated:29.10.2014

Copy for information and wide circulation to:-

- 1) The Executive Vice Chairman, WBCADC & Principal Secretary, P&RD Department, Govt. of West Bengal.
- 2) Director of Agriculture, Govt. of W.B.,Kolkata.
- 3) Managing Director, WB Agro Industries Corporation, Kolkata.
- 4) In-charge, Engg.Cell, WBCADC.
- 5) In-Charge, Accounts, Section, WBCADC.
- 6) In-charge, Agriculture Cell, WBCADC.
- 7) Sri V.Biswas, Convener, Hdqrs. Tender Committee In-charge, RKVY Programmes.
- 8-9) Office Notice Board, P&RD Department, Salt Lake, Sector-III & WBCADC(HQ), Kol-13.

Sd/-ADMINISTRATIVE SECRETARY WBCADC

WEST BENGAL COMPREHENSIVE AREA DEVELOPMENT CORPORATION

6A, RAJA SUBODH MALLICK SQUARE (9 th floor) CALCUTTA- 13

CONDITIONS OF CONTRACT

1. The person/ persons whose tender may be accepted, shall within seven days(not exceeding 10) deposit with the PROJECT DIRECTOR/ EXECUTIVE VICE CHAIRMAN, W.B.C.S.D.C./ Project Engineer/ Deputy Project Director, WBCADC/ Training Organiser, Krishi Vigyan Kendra, in cash a sum which with the earnest money already deposited will be equivalent to (10) ten percent of the total estimated cost of the materials to be supplied under the contract, as security for the due performance of the Executive Vice Chairman/ Project Director/ Project Engineer/ Deputy Project Director, WBCADC/ Training Organiser, Krishi Vigyan Kendra, of equivalent value at the current market rate may be deposited in lieu of case for the same purpose. All damages payable by the Contractor under the terms of his contract may be deducted by the Project Director/ Project Engineer/ Executive Vice Chairman/ Deputy Project Director, WBCADC/ Training Organiser, Krishi Vigyan Kendra, from or paid by the sale of a sufficient part of, this security deposit or from the interest of any such Government Security, or from any other due, or which become due, to him by the W.B.C.D.C., K.V.K.

2. The Contractor is to deliver the materials on or before the dates mentioned in the tender.

Failing which he shall be bound to pay or allow 1% on the total amount of the contract for everyday not exceeding ten days that the Contractor shall exceed the time for delivery as and by way of liquidated damages. Provided, however, that the Project Engineer/ Project Director/ Deputy Project Director, W.B.C.A.D.C./ Training Organiser, Krishi Vigyan Kendra, may in his direction, reduce, in such cases as he may think fit, the said amount to such smaller amount is he may decide and his decision in writing in that respect shall be Final.

3. In every case in which the payment or allowance mentioned in clause 2 shall have been

incurred for ten consecutive days, the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.A.D.C./ Training Organiser, Krishi Vigyan Kendra, shall have power either to annual the contract altogether, or to have the supply completed without further notice at the contractor's risk and expense, as he may deem best suited to the interests of Corporation, and the Contractor shall have no claim to Compensation for any loss that he may incur in any way.

4. If the contractor shall be hindered in the supply of the materials so as to necessitate an extension of the time allowed in this tender, he apply in writing to the Project Engineer/ Project Director/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, who shall grant it in writing

if reasonable grounds be shown for it, and without such written authority of the Project Engineer/ Project Director/ / Deputy Project Director, W.B.C.D.C./ Training Organisor, Krishi Vigyan Kendra, applied for and obtained prior to the expiry of the original data provided for in the tender, the Contractor shall not claim exemption from the fine leviable under Clause-2.

5. The Contractor shall give notice to the Project Engineer/ Project Director/ Deputy Project

Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, of his intention of making delivery of materials, and, on the materials being approved, a receipt shall be granted to him by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, and no material will be considered as delivered until so approved.

6. On the completion of the delivery of materials, the contractor shall be furnished with a Certificate to that effect, but the delivery will not be considered complete until the Contractor shall have removed all rejected materials and shall have be approved materials stacked of place in such position as may be pointed out to him.

7. The material shall be of the best description and in strick accordance with the specification,

and the contractor shall receive payment for such materials only as are approved and passed by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra,

8. In the event of the material being considered by the Project Director/ Project Engineer/

Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, to be interior to that described in the specification, the Contractor shall on demand in writing, forwith remove the same at his own cost, and in the event of his neglecting to do so within such period as may own charge and cost, and in the event of his neglecting to do so within such period as may be named by the the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, that Officer may have such rejected material removed at the Contractor's risk and expense, the expense incurred being liable to be deducted from any sums due, or which may become due, to the Contractor, material removed at the Contractor's risk and expense, the expense incurred being liable to be deducted from any sums due, or which may become due, to the Contractor.

8a. If it shall appear to the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, or any of his subordinates in-charge of the work that any material, tools and plants, pump sets and spares, GI or MS pipes, brass strainers, filters, RCC pipes etc. supplied by the contractor are of sub-standard quality, unsound/ imperfect and not in accordance with the provision of clause-7 of this contract, the contractor shall on demand in writing from the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, identifying the materials or articles complained of notwithstanding that the same may have been inadvertently passed certified and paid for forthwith rectify or replace in whole or in part as the case may require and provide other proper and suitable materials or articles at his own charge and cost and in the event of his failing to do so within a period to be specified by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra in his demand aforesaid, then the contractor shall be liable to pay compensation of the rate 1% on the amount of the estimate for everyday not exceeding ten days while his failure to do so shall continue and in the case of any such failure, the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra may rectify, remove, and replace the materials or articles complained of or the case may be at the risk and expense in all respect of the contractor.

9. In the Contractor or his work people break or deface any building, road, fence, enclosure or grass land, or his cultivated land, he shall make good the same at his own expense, and in the event of his own expense, and, in the event of his refusing or failing to do so, the damage shall be repaired at his expense by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, who, shall deduct the cost from any sums due, or which may become due, to the contractor.

10. The contractor shall supply at his own expense all tools, plant and implements, required for the due, fulfillment of his contract, and the materials shall remain at his risk till the date for final delivery unless it shall have been in the meantime removed for use by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C. / Training Organiser, Krishi Vigyan Kendra.

11. This contract shall not be sublet without specific order from W.B.C.A.D.C./ K.V.K. in respect of a specified Sub-contractor subletting his contract without such permission he shall be considered to have thereby committed a breach of contract, and shall forfeit his security deposit and shall have no claim for any

compensation for any loss that may accrue from the materials he may have collected or engagements entered into.

12. The decision of the Project Engineer for the time being shall be final, binding & conclusive on all question relating to the meaning of the specification.

13. The Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, shall have power to make any alterations in, omissions from, additions to, or substitutions for, the original specifications drawings, designs and instructions, that may appear to him to be necessary or advisable during the course of supply of the materials & the contractor shall be bound to supply the materials in accordance with any instructions which may be given in writing signed by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, and such alternations, omissions, additions or substitutions shall not invalidate the contract: and any altered, additional or substituted materials which the Contractor may be directed to supply in the manner above specified as part of the work shall be supplied by the Contractor on the same conditions in all respects on which he agreed to do the main works and at the same rates as are specified in the tender for the main work. The time for the completion of the supply shall be extended in the proportion that the altered, additional or substituted quantity of materials bears to the original quantity and the certificate of the Engineer-in-charge shall be conclusive as to such proportion. And if the altered, additional or substituted materials include may class of materials, for which no rate is specified in this contract then such class of materials shall be supplied at the rates entered in the schedule of rates of P.W.D., Government of West Bengal enforced for the district, which was in force at the time of the acceptance of the contract: and if such class of materials are not entered in the said schedule of rates, then the Contractor shall within seven days of the date of his receipt of the order of supply the materials, inform the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, of the rate which it is his intention to charge for such class of materials and if the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra, does not agree to his rate he shall, by notice in writing, be at liberty to cancel his order to supply such class of materials & arrange the supply thereof in such manner as he may consider advisable, provide always that if the Contractor shall commence supply or incur any expenditure in regard thereto before the rates shall have been determined as lastly herein before mentioned, then and in such case he shall only be entitled to be paid in respect of the supply made or expenditure incurred by him prior to the date of the determination of the rate as aforesaid according to such rate or rates as shall be fixes by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra. In the event of a dispute the decision of the Project Engineer of the Corporation shall be final.

TTENDER FOR THE SUPPLY OF MATERIALS

*The undersigned do hereby tender for the supply of the materials described in the following specification, subject to the conditions hereinto annexed

Description of Specification of Materials to be Supplied	Total quantities of each to be supplied	Places at which to be delivered	Quantities to be delivered at each place	Dates by which delivery at all places must be	to be supplied, inclusive of	Unit	Total cost of each articles, inclusive of	REMARKS
				Completed	every demand		every demand	

Tender accepted on behalf of the Executive	Should this tender be accepted (a) I/ We do hereby agree to abide and fulfill all the terms of the						
Vice-Chairman, WBCADC	above specification and all the conditions of contract annexed hereto or, in default thereof to forfeit						
	and pay to the WBCADC, or his s	successor the penalties or sums of money mentioned in the said					
	conditions.						
Signature of the Officer by whom the	The sum of Rs	in currency notes is herewith forwarded as earnest money					
Tender is accepted	to be absolutely forfeited to the sa	id Corporation or his successors should (a) I/ We not deposited the					
-	Full amount of security in accorda	ance with the clause-I of the conditions of contract in the event of this					
	Tender being accepted.						
Dated	Signature						
The	C C						
	Address						
Signature of witness to Signature of Tender							
Date 19							
The							

GENERAL RULES AND DIRECTIONS FOR RHE GUIDANCE OF CONTRACTORS

- 1. In the event of the tender being submitted by a Firm, it must signed separately by each member Thereof, or, in the event of the absence of any Partner, it must be signed on his behalf by a person holding a Power of Attorney authorizing him to do so.
- 2. Receipts for payments made to a Firm must be signed by the several Partner, except in the case of well known and recognized Firm, and except where the contractors and described in their tender or contract as a Firm.
- 3. All tenders received will be opened by the Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra at the time specified in the presence of any tender who may be at the said office, at the time of opening of tenders.
- 4. The Project Director/ Project Engineer/ Deputy Project Director, W.B.C.D.C./ Training Organiser, Krishi Vigyan Kendra reserves the rigit to reject any or all of the tenders without assigning any reason & to accept any tender in whole or in part.

SECTION-A INSTRUCTION TO BIDDERS

A. General guidance for Tendering

Instructions/ Guidelines for submission of the tenders have been annexed for assisting the tenderers to participate in Tendering.

A.1 Collection of tender documents.

a) The tender documents should be collected by downloading through the website
 www.wbprd.nic.in/ www.wbprd.gov.in. only. No hard copies in this regard will be provided by this Office.

b) Submission of Tenders:

The Tenders are to be submitted in original i.e. downloaded copies (off line) in sealed envelope as described below:

The Tenderers should submit their tenders in the place mentioned in sl.no. 4(b) of this NIT in the Form of two envelope system before the specified date & time mentioned in sl.no.1(g) of this NIT in the manner described herein under without which the tender is liable for rejection.

A.1. 1. Technical Proposal:

The Technical proposal should contain the followings in two covers (folders).

A.1.1.1. Statutory Cover Containing the following documents:

- (i) Prequalification Application (Sec-B, Form I).
- ii) Demand Draft / Bankers Cheque towards earnest money (EMD) as prescribed in the NIT [sl.no. 1(d)] drawn in favour of WBCADC payable at Kolkata.

In case of non submission of earnest money authenticated copy/copies of documentary evidence/Govt. order etc, in support of the entitlement of the tenderer for exemption to deposit any earnest money for participating in tender should invariably be submitted failing which the tender will be treated as informal and liable to be rejected.

iii) Demand Draft / Bankers Cheque towards the cost of tender documents (Tender fees) as prescribed in the N.I.T. [sl.no.1@] drawn in favour of WBCADC payable at Kolkata.

iv) Tender Form (WBCADC Form No.-103) & N.I.T. The rate to be quoted in the B.O.Q. under Financial Bid. In case quoting any rate in Tender Form (WBCADC Form No.-103), the tender is liable to be summarily rejected.

- (v) Special terms & conditions.
- vi) Technical specification of the Machinery to be supplied and installed.
- vii) Instruction to bidders.

A.1.1.2. Non-statutory Cover Containing the following documents:

- (i) Attested copy /copies of latest Professional Tax (PT) deposit receipt challan, Pan Card, IT, Saral, VAT Registration Certificate.
- (ii) Attested copy /copies of Registration Certificate under Company Act. (if any).
- (iii) Registered Partnership Deed / Article of Association & Memorandum.
- (iv) Registered Power of Attorney (For Partnership Firm / Private Limited Company, if any).
- (v) Registered Clearance Certificate for the Current Year issued by the Assistant Register of Co-Operative Society (ARCS), bye laws are to be submitted by the Registered Labour Co-Operative Society / Engineers' Co-operative Society.
- vi) Attested copy /copies of Valid trade license/latest manufacturer license
- vii) Attested copy /copies of Valid distributorship /dealership certificate from the manufacturer i.e. authority from manufacturers, if the bidder happens to be distributors/dealers.
- viii) Documents in support of sale of such machineries in last 03(three) years in the state clearly mentioning direct sale as well as Govt. sale.
- ix) Documents in support of supplying bulk quantity of such machineries to any Govt. department under any scheme during last 03(three) years.

x) Proof of financial soundness /capacity from bank or audited balance sheet of previous year or any other proof of financial capacity.

xi) Particular of test certificate of the machineries to be supplied along with Central /State Government recommendation (if any)

xii) Affidavits (Ref.- format shown in "X", Section - B & format for general affidavit shown in "Y", Section - B).

xiii) List of technical staff along with structure and organization (Section-B, Form-II).

N.B.: Failure of submission of any of the above mentioned documents as stated in Sl. No. A.1.1.1. and Sl. No. A.1.1.2. will render the tenderer liable to be rejected for both statutory & non statutory cover.

Both the statutory and non-statutory cover shall be duly sealed and then be put in a large envelope sealed and super scribed with **Envelope -I** (Technical Proposal).

A.1.2. FINANCIAL PROPOSAL

A.1.2.1.

The financial proposal should contain the following document in one cover (folder) i.e. Bill of Quantities (BOQ).

The tenderer is to quote the rate in the space marked for quoting rate in the(BOQ). The cover for technical proposal shall be duly sealed and super scribed with <u>Envelope-II (Financial Proposal</u>).

Both the sealed Envelopes for Technical & Financial Proposal should then be put in a larger 3rd Envelope which should be properly sealed and on which should be superscribed the name of the work and the name of the tender.

Each and every pages of tender documents to be submitted alongwith the tender form as mentioned above shall be duly signed by the tenderer with official seal failure of which the tender shall be liable for rejection.

The tenderer is requested to quote strictly as per the terms and conditions, specification, standards given in the tender document and not to stipulate any deviations. However deviations, if unavoidable, should be indicated in a separate sheet indicating the back ground against which the deviations are taken.

Rates to be quoted

The tenderer should quote in English both in figures as well as in words the rate and amount tendered by him and in such a way that interpolation is not possible.

Filling of tender form and other documents shall clearly and legibly be written and whole writing must by the hand of person signing tender and with same pen and ink. Failure to do so makes the tender invalid. Erasing or overwriting shall not be allowed. Correction of the said writing should be avoided and if this becomes unavoidable, the entire quotation and not a portion only shall be scored out and signed by the tenderer in token of such cancellation. A fresh quotation shall then be written correctly.

Addenda to this tender document if issued must be signed and submitted along with the tender document. The tenderer should write clearly the revised quantities in 'Schedule of Supply' of Tender document and should price the work based on the revised quantities when amendment for quantities are issued in addenda.

- A.1.3. Tender Evaluation Committee (TEC).
- A.1.3.1. Evaluation Committee constituted by the competent authority will function as
 - Evaluation Committee for selection of technically qualified contractors.
- A.1.3.2. Opening & evaluation of tender:

If any tenderer is exempted from payment of EMD, copy of relevant Government Order needs to be furnished.

A.1.3.3. Opening of Technical Proposal:

Technical proposals will be opened by the Administrative Secretary, WBCADC and his authorized representatives on date & time schedule mentioned in Sl.No1(h) of this N.I.T.

- authorized representatives on date & time schedule mentioned in SLNO1(n) of the
- A.1.3.4.Intending tenderers may remain present if they so desire.

A.1.3.5. Cover (folder) for Statutory Documents (Ref. Sl. No. A.1.1.1.) will be opened first and if found in order, cover (folder) for Non-Statutory Documents (Ref. Sl. No.A.1.1.2.) will be opened. If there is any deficiency in the Statutory Documents, the tender will summarily be rejected.

A.1.3.6. Pursuant to scrutiny & decision of the Tender Evaluation Committee the summary list of eligible tenderers will be displayed in the Notice Board of this office at 6A, Raja Subodh Mullick Sqr.9h fl.,Kol-13.

A.1.3.7. During evaluation the committee may summon of the tenderers & seek clarification /information or additional documents or original hard copy of any of the documents already submitted & if these are not produced within the stipulated time frame, their proposals will be liable for rejection.

A.1.3.8. Opening of Financial Proposal

The price bid of the eligible tenderers (mentioned in Sl.A. 1,3.6.) will only be opened in a Suitable date & time. Such Date & time will be intimated to them in due course. Concerned

Tenderers may remain present at the time of opening if they so desire.

A.2 Penalty for suppression / distortion of facts:

If any tenderer fails to produce the original copies of the documents (especially Completion Certificates and Audited Balance Sheets), or any other documents on demand of the Tender Evaluation Committee within a specified time frame or if any deviation is detected in the submitted copies from the original, it may be treated as submission false documents by the tenderer and action may be referred to the appropriate authority for prosecution as per relevant IT Act.

A.2.1.. **Rejection of Bid**:

Employer reserves the right to accept or reject any Bid and to cancel the Bidding processes and reject all Bids at any time prior to the award of Contract without there by incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the ground for Employer's action.

A.2.2. Award of Contract

The Bidder whose Bid has been accepted will be notified by the Tender Inviting &

Accepting Authority through acceptance letter/ Letter of Acceptance. The notification of award will constitute the formation of the Contract. The Agreement in WBCADC Form No. - 103 will incorporate all agreements between the Tender Accepting Authority and the successful bidder. All the tender documents including N.I.T. & B.O.Q. will be the part of the contract documents. After receipt of Letter of Acceptance, the successful bidder shall have to submit requisite copies of contract documents along with requisite cost [Rs.2550.00 (**Rupees two thousand five hundred fifty**) only] through Demand Draft / Banker's cheque issued from any nationalized /scheduled bank in favour of the WBCADC payable at Kolkata within time limit to be set in the letter of acceptance. Failing to comply of the above within the specified time, the supplier shall renderd his contracts liable to termination with forfeiture of earnest money.

Sd/-ADMINISTRATIVE SECRETARY WBCADC

SECTION – B FORM – I PRE-QUALIFICATION APPLICATION

To THE ADMINISTRATIVE SECRETARY WBCADC 6A, RAJA SUBODH MULLICK SQR.,9TH FL., KOLKATA-700 013.

> Ref : Tender for supply of 5 nos seed processing machine N.I.T. No.:8/2014-15 dated 29.10.2014 issued under Memo No.: 100/003/24/02/NIT/ dated 29.10.2014 by The Administrative Secretary, WBCADC.

Dear Sir,

Having examined the Statutory, Non-statutory & N.I.T. documents, I /we hereby submit all the necessary information and relevant documents for evaluation. The application is made by me / us on behalf of......duly authorized to submit the offer.

The necessary evidence admissible by law in respect of authority assigned to us on behalf of the group of firms for Application and for completion of the contract documents is attached herewith.

We are interested in bidding for the supply given in Enclosure to this letter. We understand that:

(a) Tender Inviting & Accepting Authority can amend the scope & value of the contract bid.

(b) Tender Inviting & Accepting Authority reserve the right to reject any application without assigning any reason.

Enclosure(s):

Statutory Documents.
 Non Statutory Documents.

Date:

Signature of applicant including title and capacity in which application is made.

SECTION – B AFFIDAVIT – "X"

(To be furnished in Non – Judicial Stamp Paper of appropriate value duly notarized)

Supply & installation of machineries in progress					Supply & installation order issued but not started				
Sl.No.	Particulars of the machineries and tender/order	Estimated amount	% of work completed	Sl.No.	Particulars of the machineries and tender/order	Tendered amount			
1	2	3	4	5	6	7			

Signed by an authorized Officer of the firm

....

Title of the Officer

.....Name of the firm with seal Date.....

*The Report should be furnished for last 03 (Three) financial years

SECTION – B AFFIDAVIT – "Y" (To be furnished in Non – Judicial Stamp paper of appropriate value duly notarized)

- 1. I, the under-signed do certify that all the statements made in the attached documents true and correct. In case of any information submitted proved to be false or concealed, the application may be rejected and no objection/claim will be raised by the under- signed.
- 2. The under-signed also hereby certifies that neither our firm M/S.....nor any of constituent partner had been debarred to participate in tender by the West Bengal Comprehensive Area Development Corporation during the last 5 (five) years prior to the date of this N..I.T.
- 3. The under-signed would authorize and request any Bank, Person, Firm or Corporation to furnish pertinent information as deemed necessary and/or as requested by the Department to verify this statement.
- 4. The under-signed understands that further qualifying information may be requested and agrees to furnish any such information at the request of the Department agrees to furnish any such information at the request of the Department.
- 5. Certified that I have applied in the tender in the capacity of individual/ as a partner of a firm and I have not applied severally for the same job.

Signed by an authorized officer of the firm.

Title of the officer

Name of the Firm with Seal

Date:

SECTION – B FORM – II STRUCTURE AND ORGANISATION

A. 1 A. 2	Name of Applicant Office Address	:	:
	Telephone No.	:	
	Fax No. :		
A. 3	Name and Address of Bankers	:	
A.4	Attach an organization chart showing the structure of the company with names of Key personnel and technical staff with Bio-data.		

Note: Application covers Proprietary Firm, Partnership, Limited Company or Corporation.

Signature of applicant including title and capacity in which application is made.

SECTION-C

SPECIAL TERMS AND CONDITIONS

1. The machine and accessories will be supplied and installed by the successful tenderer to the actual site selected by the concerned Project including fitting, fixing all accessories and electrical connections/wirings required for commissioning of the machine. No claim whatsoever for loss/damage during transportation, installation would be entertained under any circumstances.

2. Performance test of the machine: - Successful tenderer will show the performance of the machine including capacity of processing seed per hour trial run at least for 1 hour. Necessary paddy/wheat seed will be given by the Project for the said testing. Actual capacity utilization should be at least 80% of the theoretical capacity.

3. Guarantee obligation: - It shall be of 12(twelve) months from the date of the successful completion of the work. In the event of any manufacturing defect of the implements arising out of faulty design/Inferior quality of the raw materials and bad workmanship within the guarantee period, the contractor shall guarantee to replace or repair to the satisfaction of the project, the defective parts at site free of any cost to the Project. In case if it is not possible to rectify /replace the same at site, the defective equipments shall be taken by the contractor to his go down at his cost and the same should be returned back after necessary rectification/replacement at his cost by the contractor himself. In such case, total procedure should be completed within 15(fifteen) days from the date of information of the defect. If the contractor fails to do so within 15(fifteen) days, the project reserves the right to effect repair or replacement of the defective parts and recover charges for the said repair/replacement from the contractor.

4. **Payment Terms**:-90% of the total value of the work will be made after successful commissioning of the machine including successful performance test. Rest 10% will be released only after fulfilling the guarantee obligation period successfully by the contractor. However this 10% may also be released provided bank guarantee with identical amount from any nationalized/schedule bank is deposited.

5. Free servicing for Seed Processing machine: - There should be at least 04(four) free services (quarterly/when required) of the machines within the guarantee period or otherwise specified by the manufacturer duly approved by CADC authority.

6. Before submission of tenders the contractor should verify from the market about the availability of the materials and in no case extension of time will be generally considered on this ground.

7. Ideal labour charges will not be paid under any circumstances.

8. Change of Address:-If there be any change of original postal address (mentioned at the time of tender) during the execution an d finalization of the work that should be communicated to the authority within 07(seven) days from the date of such changes.

<u>SECTION-D</u> <u>BILL OF QUANTITIES (BOQ</u>)

Sl.No	Description / specification of supply to be executed	Total quantity	Unit	Rate (to be quoted) (Rs.)	Amount (Rs.)
(1)	(2)	(3)	(4)	(5)	(6)
1.	Supply of seed processing machine with following machineries /accessories (1 unit)				
i)	Seed grader (Capacity \geq 2.5 to 3 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 3(three) Size of screen:- 1320 mm x 1265 mm (each screen approx) Electric motor:-Crompton make of 10.0 HP capacity. starter (L&T) and switch Type of blower:- Axial No. of sieve deck:- 1(one) Double blower:- 4500 CFM at 75 mm WGSP (each blower) Cleaning device :- Nylon brush	I unit	Each unit.		
ii)	Additional screens set round / oblong hole perforation of size(approx) 1320mm x 1265mm (each screen) (3 nos. per set)	2 sets	Each Set		
iii)	Cyclone dust collector complete with stand and canopy for outside installation.	1 unit	Each Unit		
iv)	Surge Bin (capacity 2 tones) equipped with manually operated rack and pinion/screw sliding system to control the discharge of grains	1 no.	Each No.		
v)	Air trunk[length 1 mtr (approx)]	3 nos	Each No.		
vi)	V.B elevator to feed seed specific gravity separator capacity 5 TPH, discharge height 4- 6.5 MDH with 1 way discharge and split type				

imetallic pit cover complete with discharging valve with suitable clettic motor (Crompton), Starter (L& T), switch, ladder, service platform and other accessories 1 set. Each Set viii) Seed gravity separator capacity 3.5 - 4 TPH complete fitted with wood Aduminum rectangular type deck assemblies for coarse and fine seed, 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. 1 set. Each set 2. Supply of seed processing machine with following machine with following machine with following machine with action at 20% monisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, publes, oil seeds etc. is etc. Each set i) Seed grader (Capacity ≥1 02to 1.5 TPH) based on wheat at 12% monisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, publes, oil seeds etc. is efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize of streem: 2 (two) No of scalping:- 1 (tone) No. of screen: 900mm x 1820 mm Screen inclination: Tikory Size of screen: 900mm x 1820 mm Screen inclination: Tikory No figrading:- 2 (two) Size of screen by mylon brush 4 units ii) Additional screens set round / oblig hole perforation (2 nos per set) Top screen: 900mm x 1000mm Bottom screen: 900mm x 12 iii) Cyclone dust collector complete installation. 4 sets iiii) Cyclone dust collector complete					
electric 'mo'or (Crompton), Starter (L& T), switch, ladder, service platform and other accessories 1 set. Each Set vii) Seed gravity separator capacity 3.5 - 4 TPH complete fitted with wood /aluminum rectangular type deck assemblies for coarse and fine seed, 5nos. dynamically balanced fans, suitable clectric motor (Crompton), starter (L&T) and switch. iset. Each set 2. Supply of seed processing machineris /accessories (4 units) 1 set. Each set i) Sced grader (Capacity ≥1 02to 1.5 moisture content and 20% impurites suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. iset. Each set with accessories as follows:- No. of scaling:-1 (lone) No. of scaling:-1 (lone) No. of scaling:-1 (lone) No. of scaling:-1 (lone) No. of scaling:-2 (two) Size of screen:-V&L(approx) Top: 900 mm x 1820 mm Screen inclination:-fixed Blower speed:-1100/900 rpm Electric motor-Crompton make of 5.0 HP 3.0 HP. 440 vol capacity. starter (L&T) and switch Perforation cleaning device i- Top screen by haters, bottom screen by nylon brush 4 units Each Unit ii) Additional screens set round / obiog hole perforation (2 nos per set) Top screen: 900mm x 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit					
(L& T), switch, ladder, service platform and other accessories 1 set. Each Set vii) Seed gravity separator capacity 3.5 -4 TPH complete fitted with wood /aluminum rectangular type deck assemblies for course and fine seed. 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. 1 set. Each Set 2. Supply of seed processing machine with following machineries /accessories (4 units) 1 set. Fach set i) Seed grader (Capacity ≥1.02to 1.5 moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows- No. of sreal::2 (two) No. of sreal::2 (two) No. of grading:: 2 (two) No. of grading:: 2 (two) No. of grading:: 2 (two) Size of screen: Walt (approx) Top:: 900 mm x 1820 mm Screen inclination:: fixed Blower eapacity(approx): - 4500 CFM at 75 mm WGSP Blower speed:: 1100/900 rpm Electric motor:-Crompton make of 5.0 HP 3.0 HP, 400 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen:: 900mm x 1820 mm screen by nylon brush 4 units Each Unit ii) Additional screens set round / oblog hole perforation (2 nos per sci) Top screen:: 900mm x 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit		6 6			
platform and other accessories 1 set. Each Set vii) Seed gravity separator capacity 3.5 -4 TPH complete fitted with wood/aluminum rectangular type deck assemblies for coarse and fine seed, 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. Iset. Each set 2. Supply of seed processing machineries /accessories (4 units) 1 set. Each set i) Seed grader (Capacity ≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds suitable for efficient cleaning and grading of various crops of scenen. Vel(Approx) Top: 900 mm x 1000 mm Bottom: >000 mm x 1820 mm Screen inclination: -fixed Blower speed: - 1100/900 rpm Electric motor-Crompton make of s 0. HP 3.01 HP, 440 voit capacity, starter (L&T) and switch Perforation cleaning device :- Top screen by baters, bottom screen by nolon brush 4 units Each Unit ii) Additional screens set round / blower speed: - 1000mm x 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy foro					
 vii) Seed gravity separator capacity 3.5 - 4 TPH complete fitted with wood /aluminum rectangular type deck assemblies for coarse and fine seed. Snos. dynamically balanced fans. suitable electric motor (Crompton). starter (L&T) and switch. 2. Supply of seed processing machine with following machineries /accessories (4 units) i) Seed grader (Capacity ≥ 1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of streen:- 2(two) No. of streen:- 2(two) No. of streen:- 2(two) No. of streen:- 2(two) No. of streen:- WAL(approx) Top:- 900 mm x 1800 mm Soreen inclination:- fixed Blower speed:- 1100/900 rpm Electric motor- Compton make of 5.0 HP / 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by baters, bottom screen by nylon brush ii) Additional screens set round / oblog hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm iii) Additional screens set round / oblog hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm iii) Cyclone dust collector complete with stand and canopy for outside installation. iiii Cyclone dust collector complete with stand and canopy for outside installation. 			1 set.	Each Set	
-4 TPH complete fitted with wood /aluminum rectangular type deck assemblies for coarse and fine seed, 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. 1 set. Each set 2. Supply of seed processing machine with following machineries /accessories (4 units) 1 set. Each set i) Seed grader (Capacity ≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds set.					
wood /aluminum retragular type deck assemblies for coarse and fine seed, 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. 1 set. Each set 2. Supply of seed processing machine with following machineries /accessories (4 units) 1 set. Each set i) Seed grader (Capacity ≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of streen:-12 (two) No. of streen:-12 (two) No. of streen:-12 (two) No. of grading:- 2 (two) No. of grading:- 2 (two) No. of grading:- 1 (the) No. of grading:- 2 (two) Size of screen:- WxL (approx) Top- 900 mm x 1820 mm Screen inclination:- fixed Blower capacity (approx) : -4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor-Crompton make of 5.0 HP / 3.0 HP, 440 volt capacity. stater (L&T) and switch Perforation cleaning device :- Top screen by baters, bottom screen by nylon brush 4 units Each Unit ii) Additional screen set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1820 mm 4 sets Each Set Each Set iii) Cyclone dust collector complete with stand and canopy for outside is thatallation. 4 units Each Unit	vii)				
deck assemblies for coarse and fine seed, 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. 1 set. Each set 2. Supply of seed processing machine with following machineries /accessories (4 units) 1 set. Each set i) Seed grader (Capacity≥1.02to 1.5 moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc.		-			
fine seed, 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. 1 set. Each set 2. Supply of seed processing machine with following machineries /accessories (4 units) 1 set. Each set i) Seed grader (Capacity≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 2(two) No. of grading:- 1(two) No. of screen:- 2(two) Size of screen:- W1L(approx) Top:- 900 mm x 1820 mm Screen inclination:- fixed Blower capacity(approx): -4500 CFM at 75 mm WGSP Blower sepact- 1100/900 pm Electric motor:-Crompton make of 5.0 HP'.3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by baters, botom screen by plon brush 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside is stallation. 4 units Each Set					
balanced fans, suitable electric motor (Crompton), starter (L&T) and switch. 1 set. Each set 2. Supply of seed processing machineries /accessories (4 units) 1 set. Each set i) Seed grader (Capacity ≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. . with accessories as follows:- No. of scalping: - 1(two) No. of scalping: - 1(two) No. of grading: - 2(two) No. of grading: - 2(two) No. of grading: - 2(two) No. of scalping: - 1(two) Size of screen: - WXL (approx) Top: - 900 mm x 1820 mm Screen inclination: - fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed: - 1100/900 rpm Electric motor:-Crompton make of 5.0. HP/ 30. HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by batens, bottom screen by nylon brush 4 units ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen: - 900mmx 1000mm Bottom screen: - 900mmx 1820 mm 4 sets iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units					
motor (Crompton), starter (L&T) and switch. 1 set. Each set 2. Supply of seed processing machineries /accessories (4 units) 1 set. Each set i) Seed grader (Capacity ≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of starepart - 10(no) No. of starepart - 20 (two) No. of ar aspiration: 20(two) No. of starepart - 20(two) No. of starepart - 20(two) No. of streen: - WXL(approx) Top: -900 mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed: - 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 30 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen: -900mm x 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit					
and switch. 1 set. Each set 2. Supply of seed processing machine with following machineries /accessories (4 units) Imachine with following machineries /accessories (4 units) i) Seed grader (Capacity >1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen: - 2(two) No. of sar aspiration: 2(two) No. of grading: - 2(two) Size of screen: - WxL(approx) Top: - 900 mm x 1000 mm Bottom: - 900mm x 1200 mm Screen inclination: - fixed Blower capacity(approx) : - 4500 CFM at 75 mm WGSP Blower speed: - 1100/900 rpm Electric motor: -Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity, starter (L&T) and switch Perforation cleaning device :- Top screen by paters, bottom screen by nylon brush 4 units ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen: - 900mm x 1820 mm 4 sets iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units					
machine with following machineries /accessories (4 units) i) Seed grader (Capacity≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen: 2 (two) No. of screen: 2 (two) No. of grading:- 1 (one) No. of grading:- 2 (two) Size of screen: WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speedt:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm 4 sets Each Set Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit			1 set.	Each set	
 machineries /accessories (4 units) i) Seed grader (Capacity≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 2(two) No. of grading:- 1(two) No. of grading:- 1(two) No. of grading:- 1(two) No. of grading:- 1(two) Size of screen:- WxL(approx) Top:-900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP' 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit 	2.	Supply of seed processing			
 i) Seed grader (Capacity≥1.02to 1.5 TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 2(two) No. of scalping:- 1(two) No. of scalping:- 1(two) No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100'900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by baters, bottom screen by nylon brush ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:-900mmx 11820 mm iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit 					
TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 2 (two) No. of sar aspiration: 2(two) No. of grading:- 1(ne) No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFPM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:-900mmx 11820 mm4 setsEach Set Each Set i Each setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit		machineries /accessories (4 units)			
TPH) based on wheat at 12% moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 2 (two) No. of sar aspiration: 2(two) No. of grading:- 1(ne) No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFPM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:-900mmx 11820 mm4 setsEach Set Each Set i Each setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit	i)	Seed grader (Capacity >1.02to 1.5			
 moisture content and 20% impurities suitable for efficient cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen: -2 (two) No. of sari aspiration: 2(two) No. of grading:- 2(two) No. of grading:- 2(two) No. of grading:- 2(two) No. of grading:- 2(two) Size of screen: WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900 mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by baters, bottom screen by nylon brush 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mmx 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit 	-)				
cleaning and grading of various crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 2(two) No. of ar aspiration: 2(two) No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
 crops, seeds such as paddy, wheat, maize, pulses, oil seeds etc. with accessories as follows:- No. of screent:-2(two) No. of air aspiration: 2(two) No. of scalping:- 1(one) No. of grading:- 2(two) Size of screene: WaL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by heaters, bottom screen by nylon brush 4 units 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm 4 sets Each Set Bottom screen:- 900mm x 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit 		-			
 maize, pulses, oil seeds etc. with accessories as follows:- No. of screen:- 2(two) No. of grading:- 1(one) No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1200 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush 4 units ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm 4 sets Each Set bottom screen:- 900mm x 1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit 		a a a			
 with accessories as follows:- No. of screen: - 2(two) No. of grading: - 1(two) No. of grading: - 1(two) Size of screen: - WxL(approx) Top: - 900 mm x 1000 mm Bottom: - 900mm x 1820 mm Screen inclination: - fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed: - 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush 4 units 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen: - 900mm x 1820 mm iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit 					
No. of screen:- 2(two) No. of air aspiration: 2(two) No. of grading:- 1(one) No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) : - 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm4 setsEach Set Each Set 4 Setsiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit		-			
No. of air aspiration: 2(two) No of scalping:- 1(one) No. of grading:- 2(two) Size of screen: WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x 1820 mm4 setsEach Set Each Set 4 Setsiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
 No of scalping:- 1(one) No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900 mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush 4 units Each Unit ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm 4 sets Each Set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit Each Unit iii)					
No. of grading:- 2(two) Size of screen:- WxL(approx) Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit		- · · · · ·			
Top:- 900 mm x 1000 mm Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit		· · ·			
Bottom:- 900mm x 1820 mm Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 setsEach Unit					
Screen inclination:- fixed Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit		*			
Blower capacity(approx) :- 4500 CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
CFM at 75 mm WGSP Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
Blower speed:- 1100/900 rpm Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
Electric motor:-Crompton make of 5.0 HP/ 3.0 HP, 440 volt capacity. starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x 1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
starter (L&T) and switch Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
Perforation cleaning device :- Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit		5.0 HP/ 3.0 HP, 440 volt capacity.			
Top screen by beaters, bottom screen by nylon brush4 unitsEach Unitii)Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 unitsEach Unit					
 screen by nylon brush ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit 		÷			
 ii) Additional screens set round / oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 sets 5 set 4 sets 5 set 4 sets 5 set 6 set 6 set 6 set 6 set 7 set 7 set 8 set 9 set <li< td=""><td></td><td></td><td>Aunita</td><td>Each Unit</td><td></td></li<>			Aunita	Each Unit	
oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 setsEach set		screen by hyron brush	+ units		
oblong hole perforation (2 nos per set) Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 setsEach set	ii)	Additional screens set round /			
Top screen:- 900mmx 1000mm Bottom screen:- 900mm x1820 mm4 setsEach Setiii)Cyclone dust collector complete with stand and canopy for outside installation.4 setsEach setEach Set4 SetsEach set		oblong hole perforation (2 nos per			
Bottom screen:- 900mm x1820 mm 4 Sets Each set iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 Sets Each set					
iii) mm 4 Sets Each set Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit			4 sets	Each Set	
iii) Cyclone dust collector complete with stand and canopy for outside installation. 4 units Each Unit			1 Sata	Each act	
with stand and canopy for outside installation.4 unitsEach Unit			4 Sets	Each set	
with stand and canopy for outside installation.4 unitsEach Unit	iii)	Cyclone dust collector complete			
		with stand and canopy for outside			
		installation.		Each Unit	

iv) v)	Air trunk[length 1 mtr (approx)] V.B elevator to feed seed specific gravity separator capacity 3 TPH, discharge height 5 MDH with 1 way discharge and split type metallic pit cover complete with discharging valve with suitable electric motor (Crompton), Starter (L& T) ,switch, ladder , service	12 nos.	Each no	
vi)	platform and other accessories Seed gravity separator capacity 1.5 – 2 TPH complete fitted with wood /aluminum rectangular type deck assemblies for coarse and fine seed, 5nos. dynamically balanced fans, suitable electric motor (Crompton), starter (L&T) and switch.	4 sets 4 sets	Each Set Each Set	

Total: - Rs.

(Rupees.....) only

Signature of (Tenderer)

[Full Signature with Office Seal]

Name of the Tenderer.....

Address

SECTION-E

TECHCHNICAL SPECIFICATION OF SEED PROCESSING MACHINE

The machinery as per enclosed 'Schedule of Work' /B.O.Q. should bear I.S.I. or similar approved mark. Capacity of the machinery should be as mentioned in BOQ.

SECTION-F

List sl	List showing the tentative quantities of machinery to be supplied and installed at each concerned Project								
SL. NO.	PROJECT	POST OFFICER	PIN	DISTRICT	PHONE/FAX	DISTANCE FROM DISTRICT H.Q.	CAPACITY PROCESSI MACHINE SUPPLIED INSTALLE I.02 to 1.2 TPH Capacity	TO BE	
1.	KALIYAGANJ	KALIYAGANJ BAGHAN	732129	UTTAR- DINAJPUR	03523 258167	25 K.M.	1 No.		
2.	NALHATI	NALHATI	731220	BIRBHUM	03465 255294	60 K.m.	1 No.		
3.	DEBRA	DEBRA BAZAR	721126	PASCHIM MEDINIPUR	03222 243220	30 K.M.	1 No.		
4.	SONAMUKHI	RADHAMOHANPU	722207	BANKURA	03244 27565	50 K.m.	-	1 No.	
5.	AJODHYA HILLS	AJODHYA	723152	PURULIA	7864937659	42 K.m.	1 No.		
						TOTAL:	4 Nos.	1 No.	