# WEST BENGAL COMPREHENSIVE AREA DEVELOPMENT CORPORATION RANAGHAT-II PROJECT

#### P.O.- ARANGHATA, DIST.- NADIA. PIN- 741501 Phone & Fax No. 03473-262223

N.I.No. 1/2014-15 Dated: 18.09.2014

#### **NOTICE INTVITING TENDER**

Sealed tenders in WBCADC Form No.-103 are invited by The Officer-in-Charge Ranaghat - II Project, on behalf of West Bengal Comprehensive Area Development Corporation in two fold Envelope system (i.e. Techno Commercial Bid & Price Bid) from the bonafide, experienced, reputed contractors for execution of the following work as detailed below. [The intending tenderers will have to download the tender documents through the website <a href="https://www.wbprd.nic.in/"www.wbprd.gov.in">www.wbprd.gov.in</a> from latest tender].

1. a) Name of the work : Construction of Farmer's Training Centre at

1<sup>st</sup> floor of Administrative building

b) Location of site : WBCADC, Ranaghat-II Project Office campus

c) Estimated value of the work : Rs 6,88,067.00

d) Cost of tender documents : **Rs. 1050.00(Rupees one thousand fifty)** only

in the shape of Demand Draft/Banker's cheque issued from any Nationalized/Scheduled Bank in favour of **WBCADC Ranaghat-II Project** 

payable at Aranghata UBI, Nadia

e) Earnest money to be deposited : Rs13,800.00( Rupees thirteen thousand eight

**hundred**) only in the shape of Demand Draft/Banker's cheque issued from any

Nationalized/Scheduled Bank

in favour of **WBCADC Ranaghat-II Project** payable at Aranghata UBI, Nadia

f) Time for completion of work: 120 (one hundred twenty) days

g) Date of publication of N.I.T.

in website : 22.09.2014

h) Last date & time limit for submission

of tender (off line) : 28.10.2014 Up to 2.00 p.m.

i)Date and time for opening of

the tender (Techno commercial bid): 28.10.2014 at 2.30 p.m.

- 2. The tender document and other relevant particulars may be seen by the intending tenderers on any working day between 11.30 a.m. to 3.30 p.m. in the Notice Board of this office at WBCADC, Ranaghat-II Project, P.O.- Aranghata, Dist.- Nadia as well as in the website <a href="https://www.wbprd.nic.in/">www.wbprd.gov.in</a> on and from 22.09.2014 to 28.10.2014 upto 11-30 A.M. However, the intending tenderers will have to collect the tender documents by downloading only through the website stated above. No tender documents will be issued to any tenderer from this office under any circumstances.
- 3. Tender documents shall consist of:
  - a. This Notice Inviting Tender hereinafter will be referred to as the Tender Notice.
  - b. WBCADC Form No.-103 hereinafter will be referred to as the tender form.
  - c. Instruction to Bidders (SECTION-A).
  - d. Pre-qualification application [(SECTION-B), Form –I].
  - e. Affidavit ("X") (SECTION-B).
  - f. Structure and Organization of the Bidder [(SECTION-B), Form –II)]
  - g. Special terms and conditions.(Section-C)
  - h. Schedule of work (SECTION-D).
  - i. Technical specification of the work (Section -E)
- 4. a) For participating in the above tender, the cost of tender documents (Tender fees) are to be submitted as mentioned in Sl. No.1(d) of this N.I.T. in the shape Demand Draft/Banker's cheque issued from any Natiolized/Schedule Bank in favour of WBCADC Ranaghat- II Project, payable at Aranghata. No Cash payment for the purpose will be allowed. Such demand draft/Banker's cheque towards cost of tender documents should be submitted by the tenderers in statutory cover under technical proposal. Cost of tender documents (tender fees) is non refundable.
  - b) Each tenderer shall submit tender documents duly filled up in a specified box kept in at Ranaghat- II Project, at Aranghata, Nadia within the date and time mentioned here in earlier in Sl.. No.-1 (h) of this N.I.T.
- 5. Each tenderer will have to deposit earnest money of the amount specified in Sl.No.1 (e) of this N.I.T. in favour of WBCADC Ranaghat-II Prohect in the form of Demand Draft/Banker's cheque on any Nationalized/Schedule Bank payable at Aranghata which must be accompanied with the tender (statutory cover). In case of non submission of earnest money authenticated copy/copies of documentary evidence/Govt. order etc, in support of the entitlement of the tenderer for exemption to deposit any earnest money for participating in tender should invariably be submitted failing which the tender will be treated as informal and liable to be rejected.
- 6. Eligibility criteria for participation in the tender.

6.1. The intending tenderers will have to submit documentary evidence to prove their past experience and capabilities for execution of similar type of work as well as financial resources such as Bank Guarantee/Audited Balance Sheet of previous year or any other proof of financial capacity. Credentials of minimum Rs 3,00,000.00(Rupees Three lakhs)only for a single work executed and completed under any Govt./Semi-Govt. Organisation during last three years will have to be submitted along with the tender.

[Non statutory documents]

- 6.2 In case if it is found that the tenderer is not technically equipped for execution of the work. The offer submitted by him will be treated as cancelled. **The decision of the Tender Evaluation Committee (TEC) in this regard is final & binding to the tenderers.**
- 6.3 Income Tax Acknowledgement Receipt for the latest Assessment year, P.Tax Deposit Challan for the year 2014-15 Pan Card, VAT Registration Certificate are to be accompanied with the Technical Bid Documents.

[Non-statutory documents]

6.4. Registered Partnership Deed for Partnership Firm is to be submitted. The company shall furnish the Article of Association and Memorandum. Where an individual person signs the tender in his own name against the company or the firm which he happens to be a director or partner, such individual person shall, while submitting any tender for and on behalf of such company or firm, invariably **submit a copy of registered power of attorney showing clear authorization in his favour**, by the rest of the directors of such company or the partners of such firm, to submit suchtender.

[Non-statutory documents]

6.5.Registered Unemployed Engineers' Co-operative Societies / Labour Co- operative Societies are required to furnish valid Bye Law, Current Audit Report, Minutes of last A.G.M. along with other relevant supporting papers.

[Non-statutory documents]

- 7. The selected tenderer will have to keep himself in readiness to complete the work within the target rate as directed by the authority fully understanding that the time will be the essence of the contract. The contractor will have to take up the work as directed by the Project authority within 7 (seven) days from the date of receipt of work order from the Project authority and complete the same within the target date as fixed by the Project authority, failing which the department will have the every right to take appropriate action and to execute the work as per—the relevant clauses of the printed tender form. The decision of the Project authority in this respect would—be final and binding to the contractor. In case the contractor fails to commence the work within the—specified time of 7 (seven) days from the date of issue of work order, Project authority has the right to—terminate his tender and cancel the work order along with forfeiture of earnest money deposited by the contractor if so deemed necessary.
- 8. No mobilization advance will be allowed under any circumstances.
- 9. No interest on earnest money deposited by the tenderer and the security deposit (which will be deducted from the bill of the supplier) will be allowed under any circumstances.

- 10. No claim, whatsoever, for delaying payment, if any will be entertained. Bidders are requested to quote their rate accordingly.
- 11. Conditional /in complete tender will not be accepted under any circumstances.
- 12 Bids shall remain valid for a period not less than 120 (one hundred twenty) days from the last date of submission of Financial Bid. If the bidder withdraws the bid during the validity period of bid, the earnest money as deposited will be forfeited forthwith without assigning any reason thereof.
- 13. During scrutiny, if it comes to the notice of the tender inviting authority that the credential or any other paper found incorrect / manufactured / fabricated, that bidder would not be allowed to participate in the tender and that application will be rejected without any prejudice.
- 14. The undersigned, reserves the right to cancel the N.I.T. due to unavoidable circumstances and no claim in this respect will be entertained.
- 15. Before issuance of the work order, the tender inviting authority may verify the credential and other documents of the lowest tenderer if found necessary. After verification if it is found that the documents submitted by the lowest tenderer is either manufactured or false in that case work order will not be issued in favour of the said Tenderer under any circumstances.
- 16. If any discrepancy arises between two similar clauses on different notification, the clause as stated in later notification will supersede former one in following sequence:
  - a) Tender Form (WBCADC Form No.-103)
  - b) N.I.T,
  - c) Special Terms & Conditions
  - d) Technical Bid and
  - e) Financial Bid
- 17) Administrative Secretary, WBCADC/ Officer in Charge of concerned CADC Project/ Programme Coordinator, KVK, Sonamukhi will play the roll of Project Engineer/ Project Director/ Dy Project Director, WBCADC/ T.O., KVK (as applicable) for imposition of different clauses and for other works narrated in enclosed Tender Form.

#### 18. **Qualification Criteria**:

The tender inviting and Accepting Authority through a "Tender Evaluation Committee" will determine the eligibility of each bidder. The bidders shall have to meet all the minimum criteria regarding:

- (a) Financial Capacity
- (b) Technical Capability.
- (c) Experience / Credential

The eligibility of a bidder will be ascertained on the basis of the document(s) in support of the minimum criteria as mentioned in (a), (b) & (c) above and the declaration executed through prescribed affidavit in non-judicial stamp paper of appropriate value duly notarized. If any document submitted by a bidder is either manufactured or false, in such cases the eligibility of the bidder/ tenderer will be rejected at any stage without any prejudice.

- 19. No. price preference and other concession will be allowed.
- 20. Prospective applicants are advised to note carefully the minimum qualification criteria as mentioned in "**instruction to bidders**" stated in Section 'A' before tendering the bids.
- 21. On receipt of intimation from the appropriate authority, earnest money deposited by the unsuccessful tenderers will be refunded from the office of the undersigned. The earnest money of the tenderers other than 03(three) lowest tenderers will be refunded within 10(ten) Days after the comparative statement of rates obtained has been prepared checked and approved by the competent authority. The earnest money of 02(two) lowest tenderers out of 03(three) will be refunded within 07(seven) days after issuance of supply order to the lowest tenderers.
- 22. In case of successful tenderers, the deposited earnest money will be refunded from the office of the undersigned, after successful completion of work in all respect.
- 23. The intending bidders shall clearly understand that whatever may be the outcome of the present invitation of bids, cost of bidding shall not be reimbursed by the Corporation. The undersigned reserves the right to accept or reject any offer without assigning any reason whatsoever and is not liable for any cost that might have been incurred by any tenderer at the stage of bidding. Cost of tender documents (tender fees) submitted by the participant tenderers are non-refundable.
- 24. It must clearly be understood that the value of work and quantity of works as indicated in Sl. No. 1(c) and in the departmental schedule are approximate only and may be appreciably decreased/increased at the desires of the Project authority during the actual execution. The contract shall remain unaffected by such deviation.
- 25. If the day on which the tender is due has been or is declared a closed holiday of Government offices under the Govt. of West Bengal, the offer shall remain open for acceptance till the same hour of the next working day.
- 26. Canvassing in connection with the tender is strictly prohibited and the tenderer who resorts to this will render his tender liable to rejection
- 27. a) Cost of any materials supplied departmentally or by the contractor will be considered for preparing the R/A, final bill and deduction of IT & ST (VAT) will be made accordingly as per rules from the bill of the contractor. 1% Building and other Construction Workers' Welfare cess will also be deducted from the progressive bills of the contractor.
  - b) Usually the department will supply no materials for the work
  - c) The cement and steel (including reinforcements) as required for the work to be supplied also by the Contractor.

In case of Cement: - ACC/ Ultratake/ Lafarge/ Ambuja brand should be used. In case of Steel reinforcement: - TATA/ SAIL/ Elegant should be used.

28.Tenderers should also study carefully the content of N.I.T. and other tender documents before submission of the tender in order to be conversant with the provision stipulated in the N.I.T., Tender form, Special terms & conditions, technical specification etc. Subsequent ignorance of terms and conditions of the N.I.T. and other tender documents shall not constitute a ground for preferring a claim of any nature.

29.. This N.I.T. shall form a part of the contract document.

Sd/-OFFICER-IN-CHARGE WBCADC RANAGHAT-II PROJECT DISTRICT NADIA

Memo No.: 010/001/08/20/665/1(14) Dated: 18.09.2014

Copy forwarded for information and necessary action to: -

- 1) The District Magistrate, Nadia District.
- 2) The Savdhipati, Nadia Zilla Parishad
- 3) Administrative Secretary, WBCADC, Kolkata-13
- 4) Project Director, DRD Cell, Nadai District
- 5) The District Engineer, Nadia Zilla Parishad
- 6) In-charge, Engg. Cell, CADC(HQ)
- 7) The Savapati, Ranaghat-II Panchyat Samity,
- 8) The Executive Engineer, Agri Irrigation/ Agri-Mech, Nadia District
- 9) Officer in Charge, Harighata Project
- 10) Branch Manager, UBI, Aranghata Branch
- 11) Post Master Aranghata Post Office
- 12) Convener, WBCADC Ranaghat-II Project level Tender Committe
- 13) Jr. Accountant WBCADC Ranaghat-II Project
- 14) Office Notice Board WBCADC Ranaghat-II Project

Sd/-OFFICER-IN-CHARGE WBCADCRANAGHAT PROJECT DISTRICT - NADIA

# WEST BENGAL COMPREHENSIVE ARFEA DEVELOPMENT CORPORATION 6A, RAJA SUBODH MULLICK SQUARE, (9<sup>TH</sup> floor) CALCUTTA- 13.

Telephone No.:2237-7042

#### **Contract Form for Execution of Work**

W.B.C.A.D.C Form No103	Price: Rupees Fifty only
	Issued to
	Address:
Contract No.:	For the work of

ITEM RATE TENDER AND CONTRACT FOR WORKS.
GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTORS.

 All work proposed for execution by contract will be notified in a form of invitation to tender posted in public places and signed by Executive Vice-Chairman, W.B.C.A.D.C./ Project Engineer / Project Director / Deputy Project Director, W.B.C.A.D.C./Training Organizer, Krishi Vigyan Kendra.

This form will state the work to be carried out, as well as the date for submitting and opening tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited with the tender and the amount of the security deposit to be deposited by the successful tenderer and the percentage, if any, to be deducted from bills. Copies of the specification, designs and drawings and any other documents required in connection with the work, signed for the purpose of identification by the Project Engineer / Project Director / Deputy Project Director, W.B.C.A.D.C./Training Organizer, Krishi Vigyan Kendra shall also be open for inspection by the contractor at the office of the Project Engineer / Project Director / Deputy Project Director, W.B.C.A.D.C./Training Organizer, Krishi Vigyan Kendra, during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member thereof, or in the event of the absence of any partner in must signed on his behalf by a person holding a power of attorney authorizing him to do, so, such power of attorney to be produced with the tender & same in the case of a firm carried on by one member of a joint family it must disclose that the firm is duly registered under the Partnership Act.
- 3. Receipts for payments made on account of a work, when executed by a firm, must also be signed by the several partners, except where the contractors are described in their tender

as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.

- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration in the work specified is the said form of invitation to tender, or in the time allowed for carrying out the work, of which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work, but contractors who wise to tender for two or more works shall submit a separate tender for each. Tenderers shall have the sane and number of the work to which they refer written outside the envelope.
- 5. Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. or his duly authorized assistant will open tenders in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders in a Comparative Statement in a suitable form., In the event of a tender being accepted, a receipt for the earnest money fo4rwarded therewith shall thereupon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specifications and other documents mentioned in Rule 1.In the event of a tender being rejected the earnest money forwarded with such unaccepted tender shall be refunded within 10 days from the date on which the tender is decided provided the contractor(s) present himself /themselves before Project Engineer / Project Director / Deputy Project Director, W.B.C.A.D.C./ T. O., K.V.K.to take the refund.
- The accepting authority reserves the right to reject any or all the tenders without assigning any reason and he will not be bound to accept either the lowest tender or any of the tenders.
- 7. The receipt of an accountant of clerk for any money paid by the contractor will not be considered as any acknowledgment of payment to the Project Engineer / Project Director / Deputy Project Director, W.B.C.A.D.C./ T. O., K.V.K. and the contractor shall be responsible for seeing that he procures a receipt signed by the Executive Vice-Chairman of CADC /P.E./P.D./D.P.D. ,W.B.C.A.D.C./ T. O., K.V.K. or a duly authorized Officer/Cashier.
- 8. The memorandum of work tendered for, and the schedule of materials to be supplied by the CADC and their issue rates, shall be filled in and completed in the office the CADC before the tender form is issued. If a form is issued to an intending tenderer without having been so filled in & completed be shall request the office to have this done before he completes & delivers his tender.

#### TENDER FOR WORKS

I/We hereby render for the execution for W.B.C.A.D.C. of the work specified in the underwritten memorandum within the time specified in such memorandum at the rates specified therein, and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 hereof & in clause-11 of the annexed conditions & with such materials as are provided for, by, & in all other respects in accordance with such conditions so far as applicable.

		MEMORAN	IDUM				
If several sub-works			(a) General Des	scription			
separate list.		<ul> <li>(b) Estimated Cost</li> <li>Earnest money</li> <li>(d) Security deposit         (including earnest         money)</li> <li>(e) Percentage, if any, to be         Deducted from bills         Per cent)</li> <li>(f) Time allowed for the work         Date of written order to cent</li> </ul>		: (Rs. k from			
	Item No.	Item of works	Unit	per	Rate tend	dered	
				P G.	In words		
N	lote: To be	continued on additional	sheets as found	necessary.			
*Give particular And numbers strick out  Should this tender be accepted I/We hereby agree to abide by and fulfill all the terms and Provisions of the said conditions of contract annexed hereto so far Give particular as applicable, or in default thereof to forfeit and pay to the CADC.  The sum of Rs*is here with forwarded in currency notes(a) If no case as earnest money (a) the full value of which is to be absolutely forfeited to the CADC or its successors in office without prejudice to any other rights or remedies of the said CADC or its successors in office, should I/We fail to commence the work specified in the above memorandum, or should I/We not deposit the full amount of security deposit specified in the above memorandum, in accordance with clause-1 (A) of the said conditions contract, otherwise the said sum of Rs							be  um of ecurity ined
Submiss Tender ***Signa	ors before ion of ture	Dated Witnes	thess ***	Addre		19	
of witnes							

contractor's

signature

****Signature	
of the officer	Th
by whom	W
accepted	da

The above tender is hereby accepted by me on behalf of the
W.B.C.A.D.C.
dated thedav of19

#### CONDITIONS OF CONTRACT

Clause-1 The person/persons whose tender may be accepted (herein after called the contractor) shall (A) [(within one day for a contract of Rs.1, 000/- or less, two days for one of Rs.2,000/- or less, and so on, up to a limit of ten days of the recei9pt by him of the notification of the acceptance of his tender)] deposit with the CADC in cash of Government securities endorsed to the CADC (if deposited for more than 12 months) a sum sufficient with the amount of the earnest money deposited by him with security tender to make up the full security deposit specified in the tender); or (B) permit CADC at the time of making any payment to him for work done deposit under the contract to deduct such sum as will (with the earnest money deposited by him) amount to ten percent of all moneys so payable such deductions to be held by CADC by way of security deposit]. Provided always that in the event of the contractor depositing a lump sum by way of security deposit as contemplated at A) above then and in such case, if the sum so deposited shall not amount to ten percent, of the total estimated cost of the work, it shall be lawful for CADC at the time of making any payment to the contractor for work done under the contract to make up the full percentage making any payment to the contractor for work done under the contract to make up the full per cent age of ten percent, by deducting a sufficient sum from every such payment as last aforesaid. All compensation or other sum of money payable by the contractor to CADC under the terms of his contract may be deducted from or paid by the sale of a sufficient part of his security deposit, or from the interest arising there from, or from any sums which may be due or may become due to the contractor by CADC on any account whatsoever, and in the event of his security deposit being reduced by reason of any such education or sale as aforesaid, the contractor shall within ten days thereafter make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from or raised by sale of his security deposit or any part thereof.

Clause-2 –This time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor & shall be reckoned from the date on which the order to commence work is given to the contractor. Work shall throughout the stipulated period of the contractor be proceeded with, with all due diligence (time being deemed to be of the contract on the part of the contractor) and the contractor shall pay as compensation an amount equal to one per cent, or such smaller amount as the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K.(whose decision in writing shall be final may

decide, on the amount of the tendered amount of the whole work as shown in the tender for every day that the work remains uncommenced, or unfinished after the proper date. The contractor shall commence execution of such part of the work as may be notified to him

within seven days or as directed from the date of the order for commencement for work and diligently continue such work and further to ensure good progress and during the execution of the work,

Compensation

for delay

he shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one\*forth of the whole time allowed under the contract has

elapsed, one half of the work, before one half of such time has elapsed, and three fourths of the work, before three-fourths of such time has elapsed. In the event of the contractor failing to company with any of the conditions herein he shall be liable to pay as compensation an amount equal to one percent or such smaller amount as the Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. (whose decision in writing shall be final) may decide on the said tendered amount of the whole work for every day that the due quantity of work remains incomplete PROVIDED ALWAYS that the entire amount of compensation to be paid under the Provisions of this cause shall not exceed ten percent on the tendered amount of the works as shown in the tender.

Clause-3
Action when whole of security deposit is forfeited.

In any case in which under any clause of clauses of this contract the contractor shall have rendered himself liable to pay compensation amounting to the whole of his security \deposit (whether paid in one sum or deducted by installments) the Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. on behalf of the CADC shall have power to adopt any of the following courses as he may deem be suited to the interests of the Corporation:-

- (a) To rescind the contract (of which rescission notice in writing to the contractor under the hand of the Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. shall be conclusive evidence), and in which case the security deposit of the contractor shall stand forfeited, and be absolutely at the disposal of Corporation.
- (b) To employ labour paid by the Corporation & to supply materials to carry out the work, or any part of the work, debiting the contractor with the cost of the labour & the price of the materials(of the amount of which cost & price a certificate of the Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. shall be final & conclusive against the contractor) & crediting him with the value of the work done, in all respects in the same manner & at the same rates as if it had been carried out by the contractor under the terms of his contract; the certificate of the Project Engineer as to the value of the work done shall be final & conclusive against the contractor.
- (c) To measure up the work of the contractor, and to take such part thereof as shall be unexecuted out of his heads, and to give is to another contractor to complete, in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. shall be final and conclusive) shall be borne and paid by the original contractor and may be deducted from any money due to him by the Corporation under the contractor or otherwise, or from his security deposit of the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any

materials or entered into any engagements, or made any advances on account of, or with a view to the execution of the work of the performance of the contract. And in case the contract shall be rescued under the provisions aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work therefore actually performed under this contract, unless and until the Project Engineer/Project Director / Deputy Project Director, W.B.C.A.D.C / T. O., K.V. K. will have certified in writing the performance of such work and the value payable in respect thereof, and he shall only be entitled to be paid the value so certified.

Clause-4 In any case in which any of the powers, conferred upon the Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. by Clause-3 hereof, shall have become exercisable and the same shall not be exercised the non exercise thereof shall not constitute a waiver of any of the conditions hereof he is declared liable to pay compensation

Contractor

amounting to the whole of his security deposit and the liability of the contractor for past and future compensation amounting to the whole of his security deposit, and

the Remains

liability of the contractor for past and future compensation shall remain unaffected.

In

Liable to W.B.C.A.D.C the event of Project Engineer/Project Director / Deputy Project Director.

To pay compensa tions if action not taken under clause-3.

/T. O., K.V.K. putting in force either of the powers (a) or (c) vested in him under the preceding clause he may, if he so desires, take possession of all or any tools, plant materials and stores, in or upon the works, or the site thereof or belonging to the contractor or procured by him and intended to be used for the execution of the work or any part thereof, paying or allowing for the same in account at the . contract rates, or in case of these not being applicable, at current market markets these not being to be certified by the Project Engineer/Project Director /Deputy Project Director W.B.C.A.D.C /T. O., K.V.K. whose certificate thereof hall

be final. Otherwise the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C/ T.O., K.V. K. may be notice in writing to the contractor or his clerk of the work, foreman or other authorized agent requiring him to remove such tools, plant, materials, stores from the premises.( within a time to specified in such notice); and in the event of the contractor failing to comply with

any such requisition the Project Engineer/Project Director/Deputy Project Director,

Possession respect

Power to take W.B.C.A.D.C /T. O., K.V.K. may remove them at the contractor's expense or sell them byauction or private sale on account of the contractor, & at his risk in all

Of or require removal of or sell contractor's plan

& the certificate of the Project Engineer/ Project Director / Deputy Project Directo, W.B.C.A.D.C /T. O., K.V. K. as to expense of any such removal & the amount of the proceeds & expense of any such sale shall be final and conclusive against the contractor.

Clause-5.

If the contractor shall desire an extension of the time for completion of the works on the grounds of his having been unavoidable hindered in its execution the contractor shall give an immediate report of such hindrance to the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. in writing and if be shall desire an extension of time for completion of the work on the ground thereof he shall apply in writing to Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K within 7 days of the d ate of cessation of such hindrance on account of which he desires such extension as aforesaid & the Project Engineer/ Project .Director / Deputy Project Director.

W.B.C.A.D.C /T. O, K.V. K. shall, if in his opinion (which shall be final) reasonable

Extension Time

grounds be shown there of authorize such extension of time, if any, as may, in his opinion, be necessary proper reasonable.

#### Clause-6

On completion of the work, the contractor shall be furnished with a certificate by the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C / T. O., K.V. K. of such completion, but no such certificate shall be given nor shall the work be considered to be completed until the contractor shall have removed from

premises on which the work shall be executed all scaffolding, surplus materials and rubbish, and cleaned off the dirt from all wood-work, doors, windows, walls, floors,

other parts of any building, in upon or about which the work is to be executed or of which he may have had possession for the purpose of the execution thereof, nor

the work shall have been measured by the Project Engineer/Project Director / Deputy

Project Director, W.B.C.A.D.C /T. O.,K.V. K. whose measurements shall be final binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding surplus materials & rubbish and cleaning off dirt on or before the date fixe for the completion of the work, the Project Engineer/ Project Director / Deputy

Final Certificate

Project Director, W.B.C.A.D.C /T. O., K.V. K. may at the expense of the contractor remove such Scaffolding, surplus materials and rubbish and dispose of the same as he thinks fit and clean off such dirt as aforesaid; and the contractor shall forthwith pay the amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials so aforesaid except for any sum actually realized by the sale thereof.

Clause-7

No payments shall be made for works estimate to cost less than rupees one thousand, till after the whole of the works shall have been completed a of certificate of completion given. But in the case of works estimated to cost more than rupees one thousand, the contractor shall on submitting the bill therefore, be entitled to receive a monthly payment proportionate to the part thereof than approval and passed by the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. whose certificate of such

Payment on intermediate certificate to be Regarded as advances.

Approval and passing of the sum so payable shall be final and conclusive against the contractor. But all such intermediate payment for the work actually done and completed and shall not preclude the requiring of bad, unsound and imperfect or unskillful work to be removed and taken away & reconstructed, or re-erected, or be considered as an admission of the due performance of the contract, or any part thereof, in any respect, or the acquiring of any claim nor shall it conclude, determine of affect in any way The powers of Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. under these conditions or any of them as to the

final settlement and adjustment of the accounts or otherwise or in any other way very or affect the contract. The final bill shall be submitted by the contractor within one month of the sate fixed for completion of the work ,otherwise the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. certificate of the measurement and of the total amount payable for the work accordingly shall be final & binding on all parties.

Clause-8 A bill shall be submitted by the contractor each mo0nth on or before the date fixed by the Project Engineer/Project Director / Deputy Project Director, W.B.C.A.D.C / T. O., K.V. K. for all works executed in the previous month and Project Engineer/Project Director

/Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. shall take or cause to be taken the requisite measurement for the purpose of having the same verified, and the claim as far as admissible adjusted, if possible, before the expiry of thirty days from the

#### Submitted Monthly

presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, Project Engineer/Project Director /Deputy Project Director, .B.C.A.D.C /T. O., K.V. K. may deputes subordinate to measure up the said work in the presence of the contractor, whose counter signature to the measurement list will be sufficient

warrant; and Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T.O., K.V. K may prepare a bill form such list which shall be binding on the contractor in all respects.

#### Clause-9

Bills to be on printed forms

The contractor shall submit all bills on the printed forms to be had on application at the office of the CADC or the concerned CADP and the charges in the bills shall always be entered at rates specified in the tender or in the case of any extra work ordered in Pursuance of these conditions, and not mentioned or provided for in the tender at rates hereinafter provided for such work.

- Clause-9A-(1) Payments due to the contractor may, if so desired by hi8m, be made to his Bank instead of direct to him, provided that the contractor furnishes to Project Engineer/Project Director / Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K.
  - (i) An authorization in the form of a legally valid document, e.g. irrevocable power of attorney conferring authority on the Bank to receive payment; and
  - (ii) His own acceptance of correctness of the amount made out as being due to him by the CADC or his signature on the bill or other claim preferred against CADC before settlement by Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. of the account of claim W.B.C.A.D.C /T. O., K.V. K. of the account of claim by payment to the Bank.

Payments of of Contractor's Bills to Bank

While the receipt given by such Bank shall constitute a full and sufficient discharge for the payment, the contractor should wherever possible, present his bills duly receipted and discharged through his Bankers.

- (2) In the case of bills, which the contractor presents for payment direct and which are not endorsed in favour of the Bank, while efforts will be made to secure payment to the financing, Bank, payments made to the contractor should be accepted as full acquaintance so far as the CADC is concerned, As part of the arrangement, the financing Bank should give the CADC a letter to this effect.
- Note-1: The procedure will not affect the usual rights of CADC to deduct from contractor's bills (whether endorsed in favour of a Bank or not) any sum due to CADC on account of penalties, over-payments etc. on this or any other contract with the CADC.
- Note-2: Nothing herein contained shall operate to create in favour of the Bank any rights or equities vis-à-vis the CADC.

Clause-10 If the specification or estimate of the work provides for the use of any special description of materials to be supplied by CADC or if it is required that the contractor shall us certain stores to be provided by the CADC (such materials and stores and the prices to be charged therefore as hereinafter mentioned belong so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract specified in the schedule or memorandum hereto annexed), the contractor shall be supplied with such materials and stores as required from time to time to be used by him for the purpose of the contract only, and the value of the full quantity of materials and stores so supplied at the rates specified in the

said schedule or memorandum may set off or deducted from any sums then due, or thereafter to become due to set off or deducted from any sums then due, or thereafter to become due to the

stores supplied by CADC

contractor under the contract, or otherwise or again or from the security deposit, or the proceeds of sale thereof; if the same is held in Government securities, the same or a contractor shall remain the absolute property of CADC, and shall not on any account be removed from the site of the work, and shall at all times be open to inspection by the CADC officers. Any

such materials unused and in perfectly good condition at the ti8me of the completion or determination of the contract shall be returned to the CADC store, if by a notice in writing under his hand he shall so require; but the contractor shall not be entitled to return any such materials unless with such consent, and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage in or damage to any such materials.

Clause-11

Works to be executed in Accordance With Specifications drawings, Orders, etc

The contractor shall execute the whole any every part of the work in the most Substantial and workmanlike manner and both as regards materials and otherwise n every respect in Strict accordance with the specifications, The contractor shall confirm exactly, strict accordance with the specifications, the contractor shall also confirm exactly, fully an faithfully to the designs, drawing, and instructions in writing relating to the work signed by the Project Engineer/Project Director /Deputy, Project Director, W.B.C.A.D.C /T. O., K.V. K. and lodged in his office, and which the contractor shall be entitled to have access at such office, or on the site of the work for the purpose of insp0ectionduring at such hours, and the contractor

shall, if he so requires, be entitled at his own expense to make or cause to be made copies of the specifications, and of all such designs, drawings and instruction as aforesaid.

Clause-12

Alternation in specifications and designs

The Project Engineer/Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. shall have power to make any alternation in commissions from, additions to or substitutions from the original specifications, drawings, designs and instructions that may appear to him to necessary or advisable during the progress of the work and the contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Project Engineer/Project Director /Deputy

Project Director, W.B.C.A.D.C /T. O.,K.V. K. and such alternations commissions, addition of substitutions, shall not invalidate the contract but shall be deemed to have formed as work included in the original tender an any directed to do in the manner above specified a part of the work shall be carried by the contractor on the same conditions in all respects on which he agreed to do the main work and at the same rates, if any, may be specified in the tender for the main work. The time for completion of the work shall be extended in the proportion that the altered, additional

Do not invalidate Contract

Extension of time. in consequence of alternation

of substituted work bears to the original contract work and the certificate of the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V.K. shall be conclusive as to such proportion. And if the altered additional or substituted work includes any class of the work, for which no rate is specified in this contract, then such class of work shall be carried out at the rates entered in the Schedule of rates of the respective P.W.D. circle which was in force at the time of the acceptance of the contract minus/plus the percentage which the total tendered amount bears to the Estimated cost of the entire work put to tender and if the altered, additional or substituted work is not entered in the said schedule of rates payment thereof shall be made by the

Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C / T.O.,K.V. K. determining the rates on analysis worked out from (a) the basic rates of materials and labour provided in the current schedule of rates or (b) the current market rates of materials and labour

when even basic rates f the work are not available in the schedule.

Rates for works in estimated not schedule

In cases when such rates are determined of analyses by the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. under (a) above, the stipulated percentage above or below schedule of rates as provided in the contract shall also apply and in case of rates

worked out on analysis under (b) above, payment shall be made at percentage. In the event of any dispute regarding rates determined on analysis for any altered additional or substituted work under this clause the decision of the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. shall be final & binding, when approved by the Executive Vice-Chairman of the CADC.

#### Clause-13

No compensation For alteration In or restriction Of, work to be Carried out. If at any time after the commencement of the work the CADC shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. shall five notice in writing of the fact to the contractor who shall haveno claim to any payment or compensation whatsoever on account of any profit or a advantage which he might have desired from the execution of the work in full, but which he did not derive in conseque3nce of the full amount of the work not having been carried out:

neither shall be have any claim for compensation by reason of any alternation having been made in the original specifications, drawings, designs and instructions which shall involve any curtailment of the work as originally contemplated.

Clause-13-A

Suspension Of work If for any reason whatsoever a work suspended with 7(seven) days prior notice by the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. during its progress in the interest of this Corporation and resumption of the suspended work is delayed, no claim of the contractor in respect of idle labour, tools& plants and establishment charges or increased cost of materials or any other charges whatsoever

during the suspension period shall be admissible or tenable. The contractor will, however be entitled to extension of time limited to the period of suspension. The accepted rates will be valid till the completion of the work, safeguard of the materials remain unused in the custody of the contractor during the suspension period is the liability of the contractor.

Clause-14

Action and Compensation Payable In case of bad work If it shall appear to the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. or his subordinate in charge of the work, that any work has been executed with unsound, imperfect, or unskillful workmanship, of with materials of any inferior description, or that any materials or articles provided by him for the execution of the work are unsound, or of a quality inferior to that contract for, or otherwise not in accordance with the contract, the contractor shall on demand in writing from the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C

/T. O.,K.V. K. specifying the work, materials or articles complained of notwithstanding that the same may have been inadvertently passed, certified and paid for, forthwith rectify, or remove and reconstruct the work so specified, in while or in part, as the case may require, or as the case may be, remove the materials or articles so specified and provide and other proper and suitable materials or articles at his own proper charge and cost; and in the event of his failing to do so within a period to be specified by the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. in his demand aforesaid, then the contractor shall be liable to pay compensation at the rate of one per cent, on the amount of the estimate for every day not exceeding ten days, while his failure to do shall continue and in the case of any such failure the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. may rectify or remove and re-execute the work or remove and replace with others, the materials or

articles complained of as the case may be at the risk and expense in all respects of the contractor.

Clause-15

Works to be open for

Inspection

All work under or in course of execution or executed in pursuance of the contract shall at all times be open to the inspection and supervision of the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. /other officers of CADC and the contractor shall at all times during the working hours, and at all other times at which reasonable notice of the intention of Project Director

/Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. or any other Officer of CADC to visit the works shall have been given to the contractor, either himself be present to receive orders and instructions, r have a responsible agent duly accredited in writing present for that purpose. Orders given to the contractor's agent shall be considered to have the same force as if they had been to the contractor himself.

Clause-16

contractor or responsible agent to be present

The contractor shall give not less than five days, notice to writing to the Project Engineer/ Project Director /Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. or his subordinate in charge of the work before covering up or otherwise placing beyond the reach of measurement any work in order that the same may be measured, and correct dimensions thereof be taken before the same is so covered up or placed beyond the reach of

measurement and .Shall not over up or place beyond the reach measurement any work without the consent in writing of the Project Engineer/ Project Director / Deputy Project Director.

Notice to be given before Is covered up

W.B.C.A.D.C /T. O.,K.V. K. or any officer of CADC in charge of the work; if any work shall be covered up or placed beyond the each of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expense. Or in default thereof no payment

or allowance shall be made for such work or the materials with the same was executed.

Clause-17

Contractor liable for damage done, Imperfections for 3 Months after Certificate If the contractor or is workmen or servants shall break, be face, injure, or destroy any part of a building, in which he may be working or any building, road, road-curbs, fence enclosure, water pipes, cables, drain's electric or telephone posts or wires, trees grass or grass-land or cultivated ground contiguous to the premises on which the work or any part of it is being executed, or if any damage, shall happen to the work while in progress, from any cause whatever or any imperfections become apparent in it within three months (six months in the case of a road work) after a certificate final or otherwise of its completion shall have been given by the Project Engineer/ Project Director / Deputy Project Director,

W.B.C.A.D.C /T. O.,K.V. K. as aforesaid the contractor shall make the same good at his own expense, of in d default the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. as aforesaid, the contractor shall make the same good at his own expense, of in default the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. may cause the same to be made good by other workmen and deduct the expense (of which the c certificate of the Engineer-in-charge shall be final) from any sums that may be then, or at any time thereafter become due to contractor, or from his security deposit, or the proceeds of the sale thereof, or a sufficient portion thereof.

The security deposit of the contractor made in the manner provided in clause I hereof, shall be refundable on the expiry of 6 months (9months in the case of a road work) after the issue of the certificate, final or otherwise, of the completion of the work, subject to the condition that n such refund of security deposit shall be allowed till the final bill has been prepared and passed. Provided, W.B.A.A.D.C./T.O,K.V.K. half of the security deposit is sufficient to meet all the liabilities of the contractor under this contract, half of the security deposit is will be refundable after 3months of the issue of the said certificate of completion. Provided further that in the case of a building

work where the contractor after completion of the major portion of the contract is deterred from executing remaining part of the work under circumstances beyond his control, the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. may on the merit of each such case, make proportionate refund of the security deposit to contractor on his own discretion.

The contractor shall be responsible for rectifying defects in asphaltic works noticed within a year from the date of completion of the work and the portion of the security deposit relating to asphaltic work shall be refundable after expiry of this period.

Clause-18 The contractor shall supply at this own cost materials (except such special

Contractor to supply plant, ladders scaffolding etc. materials, if any, as may be accordance with the contract be supplied from the CADC stores) plant tools, appliances, implements, ladders, cordage, tackle, scaffolding and temporary work requisite or proper for the proper execution of the work, whether original, altered or substituted, and whether included in the specifications or other documents forming part of the contract of referred to in these conditions, or which may be necessary for the purpose of satisfying or complying with the requirements of the Project Engineer/ ProjectDirector / Deputy Project Director, W.B.C.A.D.C /T. O.,

K.V. K.

as to any matter as to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore to and from the work. The contractor shall also supply without carriage therefore to and from the work. The contractor shall also supply

And is liable for damages arising from non-provision of light fencing etc without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing, and assisting in the measurement or examination at any time and from time to time of the work or materials. Failing his so doing the

same may be provided by the Project Engineer/ P. D. /D.P.D./ W.B.C.A.D.C /T. O.,K.V. K. at the expense of the contractor & the expense may be deducted from any money due to the contractor under the contract, or from his security deposit or the proceeds of sales thereof, or of a sufficient

portion thereof, The contractor shall also provide all necessary fencing and lights required to protect

the public from accident and shall be bound to bear the expenses of defense of every suit, action or

other proceedings at law that may be brought by any person for injury sustained owing to neglect of

the above precautions and to pay any damages & costs which may be awarded in any such suit, action or proceedings to any such person of which may with the consent of the contractor be paid to

compromise any claim by any such person.

Clause-18-A

The contractor shall be responsible for and shall take proper care and caution in respect of all rollers, machinery, tools and implements as may be made

over by the CADC to the contractor for use in the occasion of the works under this contract and shall be liable for any loss of & damages caused to the said rollers, machinery, tools and implements

by any reason whatsoever during the period the same are in the possession of the contractor and shall on demand pay to the CADC such amount as may be fixed by the CADC for such loss and damages, the decision of the CADC in that respect being final.. Should the contractor fail or neglect

to pay such amount on demand the CADC shall have the right & be entitled, in addition to the other

rights and remedies available to if, to deduct such amount from the amount of security deposited by

the contractor and or any amount remaining payable to the contractor under this contract for any work done by the contractor.

Clause-18-B In every case in which by virtue of the provision of Section 12, Sub-section (1) of the workmen's Compensation Act, 1923, CADC is obliged to pay compensation to a workman employed by the contractor, in execution of the works, CADC will recover from the contractor the amount of the compensation so paid an without prejudice to the rights of CADC under Section 12, Sub-Section (2) of the said Act. CADC shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due the CADC to the contractor whether under this contract or otherwise.

CADC shall not be bound to contest any claim may against it under Section 12, Sub Section (1) of the said Act, except on the written request of the contractor & upon his given to CADC full security for all costs for which might become liable i9n consequence of contesting such claim.

Labour. Clause-19 No female labour shall be employed within the limits of a

cantonment.

Clause-19-A No labourer below the age of twelve year shall be employed

on the work.

Clause-19-B The contractor should pay his labourers wages not less in amount than what is considered reasonable for the locality by the Executive

Vice Chairman of CADC.

Clause-20 Work on sunday No work shall be done on Sundays without the sanction in writing of the Project Engineer or the officer-in-charge of the CADC concerned.

Clause-21 The contract shal

Work not to be sublet,

The contract shall not be assigned or sublet without specific order from CADC in respect of a specified sub contractor. And if the contractor shall assign of sublet his contract, or attempt so to do, or become insolvent or commence any insolvency proceedings or make any composition with his creditors, or attempt so to do, or if any bribe, gratuity, gift ,loan ,perquisite,

reward or advantage, pecuniary or otherwise, shall either directly of indirectly be given, promised, or offered by the contractor, or any of his servants or agents to any public officer or person is the

contract
may be
rescinded and
security
deposit forfeited
for subletting
bribing, or if
contractor
becomes

employ of CADC in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in the contract, the Project Engineer/ P.D / D. P. D. W.B.C.A.D.C /T. O.,K.V. K. may there upon by notice in writing rescind the contract, of the contractor shall there upon stand forfeited and be absolutely at the disposal of CADC, and the same consequence shall ensue as if the contract had been rescinded under the clause-3 hereof, and in addition the contractor shall not been titled to become recover or be paid for any work therefore actually performed under the contractor.

Sum payable by way of Compensation To considered as

Insolvent.

Clause-22 All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of CADC without reference to the actual loss of damages sustained & whether or not any damage shall have been sustained .

Reasonable Compensation without reference to actual loss

Changes in Constitution of firm.

Clause-23 In the case of a tender by partners any change in the constitution of the firm shall be forthwith notified by the contractor to the Project Engineer/ Project Director / Deputy Project Director, W.B.C.A.D.C /T. O.,K.V. K. for his information.

Works to be under direction of Project Engineer/P.D/ DPD/ T.O KVK Clause-24 all works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Project Engineer/ Project Director / D. P. D., W.B.C.A.D.C /T. O., K.V.K. of CADC for the time being who shall be entitled to direct at what point or points& in what manner they are to be commenced & from time to time carried on.

Clause-25

Settlement of disputes

Except where otherwise provided in the contract all question & disputed relating to the meaning of the specifications, designs, drawings and instructions herein before mentioned and as to the quantity of workmanship or materials used on the work or as to any other question, claim, right, matter or think whatsoever, in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions, orders or those conditions or

otherwise concerning the works or the execution, or failure to execute the same, whether arising during the progress of the work, or after the completion or the abandonment thereof shall be referred to the sole arbitration of the Executive Vice-Chairman of the CADC. Should the Executive Vice-Chairman be for any reason unwilling or unable to act such arbitrator, such question and dispute shall be referred to an arbitrator to be appointed by the Executive Vice-Chairman The award of the arbitrator be final, conclusive & binding on all parties to this contract.

Clause-26

The contractor shall obtain from the stores of the CADC all stores and articles of European or American manufacturer which may be required for the work, or any part, thereof or in making up articles required therefore or in connection therewith unless he has obtained permission in writing from the Project Engineer/ Project Director / Deputy

Stores of European or American manufacture to be obtained from CADC

Project Director, W.B.C.A.D.C /T. O., K.V. K. to obtain such stores and articles elsewhere. The value of such stores and articles as may be supplied to the contractor by the Project Engineer/D.P.D.W.B.C.A.D.C./T.O K.V. K. will be debited to the contractor in his account at the rates shown in the schedule attached to the contract, and if they are not entered in the schedule, they will be debited at cost price which for the purpose of this contract shall include the cost of carriage, incidental charges and storage charges, the last being recoverable in addition and all other expenses

whatsoever, which shall have been incurred in obtaining delivery of the same at the stores aforesaid.

Clause-26-A

Intending tenderers should quote rate/rates on the assumption that cement for the work will be supplied from the project store and recovery of the cement so supplied will be fixed by the project concerned taking into account (i) purchase price of cement plus (ii) transportation charges of the same from place of procurement to the project store as well as 2% storage charge on the aggregate of i + ii i.e. on purchase price plus transportation charges in terms of subject to subsequent revision in the event of enhancement of purchase price during the execution period of the work.

Clause-27 when the estimate on which the tender is made includes lump sums in respect of parts of the works, the contractor shall be entitled to payment in respect of the items of works involved or the part of the work in question at the same rates as are payable under this contract for such items or if the part of the work in question is not, in the opinion of the Project Engineer capable of measurement, the Project Engineer may at his discretion pay the lump sum amount entered in the estimate, and certificate in writing of the Project Engineer shall be

lump sum amount entered in the estimate, and certificate in writing of the Project Engineer shall be final and conclusive against the contractor with regard to any sum or sums payable to him under the provisions of this clause.

Clause-28-In the case of any class of work for which there is no such specification as is mentioned in Rule 1, such work shall be carried out in accordance with the Action where district specification and in the event of there being no district specification no specification then in such case the work be carried out in all respects in accordance with the instructions and requirements of the Project Engineer of CADC. The expression "works" or "work" where used in these conditions shall Clause-29 unless there be something either in the subject or context repugnant to such Definition of construction be construed & taken to mean the works by or by virtue of the works contract contracted to be executed, whether temporary or permanent & whether original, altered, substituted or additional.

Clause-30 The contractor s) shall at his/their own cost provide his/their labour with hutting on an approved site & shall make arrangements for conservancy & sanitation in the labour camp to the satisfaction of the local public Health & Medical Authorities. He/They shall also at his/their own cost make arrangements for the lying of pipe lines for water supply to his/their labour camp from the existing mains wherever available, an shall pay all fees, charges and expense in connection therewith and incidental thereof.

#### Interpretation Clause:-

The Comprehensive Area Development Corporation, referred to herein above at some places as CADC, ,means The Comprehensive Area Development Corporation established section3 of The Comprehensive Area Development Corporation Act, 1974 (West Bengal Act, XXXIX).

Executive Vice-Chairman means the officer, appointed under section 6 of the Comprehensive Area Development Corporation Act, 1974 (W.B. Act, 39 of 1974) to act as Executive Vice-Chairman of the Comprehensive Area Development Corporation.

Project Engineer means Engineer appointed as such by The Comprehensive Area Development Corporation under section 7 of The Comprehensive Area Development Corporation Act,1974(West Bengal Act, XXXIX).

The words "other officers of The Comprehensive Area Development Corporation includes all Headquarters officers of the said Corporation, the Project Engineer// D.P. D. of the project & T. O.,K.V. K. The abbreviations P.D. D.P.D. K.V.K. as used in this form respectively stand for Project Director, Deputy Project Director & Training Organizer, Krishi Vigyan Kendra. Words importing the singular number only include the plural number and vise versa.

Schedule showing (approximately) materials to be supplied by the West Bengal C.A.D.C. under section clauses 10 and 26 for work contracted to be executed and the rate at which they are to be charged for,

PARTICULARS	Rates at which the material will be charged to the contractor			Place of delivery
	Unit	Rs.	P.	

Note:1:- The person of firm submitting the t ender should see that the rates in the above schedule are filled up by the Project Engineer/ P.D./ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. on the issue of the from prior to the submission of the tender.

Signature of Contractor

Signature of Executive Vice-chairman

Project Engineer

**Project Director** 

Deputy Project Director

Of W.B.C.A. D.C.

Training Organizer, K. V. K.

#### **ADDITIONAL CONDITIONS**

- 1. If any quantity of cement is found surplus in the custody of the contractor in respect of a particulars work after completion of a work or any situation as envisaged in clauses 3 and 13 of this contract arises; that quantity of cement shall be returned to the Project store within seven days from the date of completion of a work or action taken in terms of clause 3 and 13 hereof. If the contractor fails to return the surplus quantity of cement to the Project store within the stipulated time and is found to have used the surplus quantity of cement for his own purpose or otherwise disposed of without the written consent of P.E./ P.D./ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. the cost of the surplus quantity of cement not returned by him in god condition will be recovered from the bill of the contractor or from his security deposit lkor from any other dues of the contractor, at double the issue rate.
- 1.A. If any materials (other than cement) and accessories of any category are issued by the project in a contractor against a particular work or if in the course of execution of work any materials come into the possession of the contractor and if after completion of the work in question or any situation as envisaged in clause 3 or 13 of the contract arises, any quantity of materials etc. remain unutilized and lying in the custody of the contractor as surplus, the contractor shall be liable to return the such surplus materials/accessories etc. to the project store in good condition within 7(seven) days from the date of completion of the work or from the date of action taken in term of clause3 or 13 of the contract. Should the contractor fail to return the surplus materials in the same conditions as issued to them or obtained by them at the working site, within the specified time of 7(seven) days, CADC shall have the right and be entitled in addition to other rights and remedies available to it to realize the cost of such surplus materials etc. not returned by the contractor at double the issue of prevailing market rate whichever is higher,

Same procedure will apply Utatis Mutandis in respect of the materials & accessories damaged or stolen while in the custody of the contractor.

- 2. The contractor shall have to make his own arrangements for water, both for the work & used by his coolly, etc, for steam road rollers & for all tolls & plant, etc. required on the work.
- 3. Contractor will be responsible for the payments of all water charges payable to any other water works authority including a Government department concerned.
- 4. If the contractor shall desire as extension of time for completion of the work under clause 5 of the contract, no application of such extension will be entertained if it is not received in sufficient time to allow the Project Director / Deputy Project Director, W.B.C.A.D.C /T. O., K.V. K. to consider it and the contractor will be responsible for the consequences arising out of his negligence in this respect.
- 5. The contractor will have to leave ducts in walls and floor to run conduit or cables, where necessary, and he wi9lolo not be entitled to any extra payment on this account
- 6. Contractors in the course of their works should understand that all materials (e.i. store and other materials) obtained in the work of dismantling excavation etc. will be considered CADC property and will be disposed of to the best advantage of CADC.
- 7 The Contractor is, required to keep himself in touch with the day today posting regarding the supply of materials from Project Director/D. P. D., W.B.C.A.D.C /T. O., K.V. K. and to go adjust the progress of the work that his labour may not remain idle nor may there be any other claim due to or arising from delay in obtaining the materials. It should be clearly understood

that no claim whatsoever shall be entertained the CADC on account of delay in supplying materials.

- 8. The minimum period for which road roller required to the used by a contractor shall be determine d by the Project Engineer on the basis of the quantity of metal that can be consolidated by a roller per day and the Project Engineer's decision shall be final. If the roller be required to work for a longer p-period due to bad arrangement of the contractors, shortage of water, etc, additional hire charges shall be levied at the rates specified below under "A Hire Charges" for the additional period the roller works.
- 9. No compensation for any damage done by rain or traffic during the execution of the work will be made.
- 10. Whenever a work is carried out in a municipal area, electric lights of electric danger signals whatever available shall be provided by the contractors on the barrier as well as paraffin light facilities for the electric connection will be made by CADC but the contractor will bear all the expenses.
- 11. The contractor should quote through rate inclusive of cost of materials and carriage to place of working.
- 12. The contractors should give complete specifications showing the methods of execution & the quantity and quality of materials the intend to use per hundred sq.ft. area.
- 13. In cases where water is used by the contractor he will be required to deposit in advance with the Project Engineer/ P.D. / D. P. D., W.B.C.A.D.C /T. O., K.V. K. the charges for water which are to be calculated in accordance with the schedule of miscellaneous rates in the Canal Act.
- 14. It must be clearly understood by the contractor that no claim on account of enhanced rated on those already accepted, due to war fluctuations will be entertained during the currency of this contract for the work as per schedule attached to the agreement and the additional work, if any, under clause-12 of the contract, if such additional work shall consist of items which have already be quoted for, or items not quoted for but appearing in District Schedule of Govt.
- 15.In the event of emergency the contractor will be required to pay his labour every day and if this in not done, CADC shall make the requisite payment as would have been paid by the contractor and recover the cost from the contractors.

#### Inconvenience of the public

- 16.The contractor (s) shall not deposit materials on any site which will seriously inconvenience the public. The Project Engineer/ P.D./ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. may require the contractor(s) to remove any materials, which are considered by him to be a danger or inconvenience to the public or cause them to be removed at the contractor's cost.
- 17.The contractor undertakes to have the site clean free from rubbish to the satisfaction of the Project Engineer & other officers of CADC, all surplus materials, rubbish, etc. will be removed to the places fixed by Project Engineer/ Project Director/ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. and nothing extra will be paid.
- 18. The contractor shall not allow any rubbish or debris to remain on the premises during or after repairs, but shall remove the same & keep the place neat and tidy during the progress of

the work. Project Engineer/ P.D./ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. or any other officer of CADC get the site or premises cleared of debris, etc. & recover the cost from the bill of the contractor, if the later shows slackness in observing this clause.

19. Materials brought at site shall not be stacked at random. The contractor shall stack all these materials as directed by Project Engineer/ P.D./ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. or any other office of CADC.

#### ADDITIONAL CLAUSES

- 1. In case where the responsibility of dispatch of stores rests with the suppliers but the freight is payable by the purchaser, the supplier should dispatch the stores by the most economical method, using the full wagon load whenever o it is possible & economical to do so, failing which the supplier will render himself liable for the whole or part of any avoidable expenditure caused by such default.
- 2. The contractor will have to make his own arrangements for the carriage of materials.
- 3. Imported labour may be allotted to contractors at the contractor sis of mutual advantage to CADC and the contractors.

But in cases where the contractor has failed to secure his own labour, imported labour may be forced on him at rate to be decided by Project Engineer/ P.D./ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. as to the circumstances in which the employment of imported labour of mutual advantage will be final and binding on all parties to the contract.

In other cases, imported labour need not be forced on contractors but Project Engineer/ P.D./ D. P. D., W.B.C.A.D.C /T. O.,K.V. K. should at once give in writing to all contractors that if they object to taking labour from the CADC now but later require labour to complete their work in time, they will allotted CADC labour as available and will be charged full cost.

# SECTION-A INSTRUCTION TO BIDDERS

#### A. General guidance for Tendering

Instructions/ Guidelines for submission of the tenders have been annexed for assisting the tenderers to participate in Tendering.

#### A.1 Collection of tender documents

a) The tender documents should be downloaded through the website <a href="www.wbprd.nic.in/www.wbprd.gov.in">www.wbprd.gov.in</a> from the latest tender only. No hard copies in this regard will be provided by this Office.

#### b) **Submission of Tenders**:

The Tenders are to be submitted in original i.e. downloaded copies (**off line**) in sealed envelope as described below:

The Tenderers should submit their tenders in the place mentioned in sl.no. 4(b) of this NIT in the Form of two envelope system before the specified date & time mentioned in sl.no.1(h) of this NIT in the manner described herein under without which the tender is liable for rejection.

#### A.1. 1. Technical Proposal:

The Technical proposal should contain the followings in two covers (folders).

### A.1.1.1. Statutory Cover Containing the following documents: A. Technical Document

- (i) Prequalification Application (Sec-B, Form − I).
- ii) Demand Draft / Bankers Cheque towards earnest money (EMD) as prescribed in the NIT [sl.no. 1(e)] drawn in favour of WBCADC Ranaghat-II Project payable at Aranghata.
  - In case of non submission of earnest money authenticated copy/copies of documentary evidence/Govt. order etc, in support of the entitlement of the tenderer for exemption to deposit any earnest money for participating in tender should invariably be submitted failing which the tender will be treated as informal and liable to be rejected.
- iii) Demand Draft / Bankers Cheque towards the cost of tender documents (Tender fees) as prescribed in the N.I.T. [sl.no.1(d)] drawn in favour of WBCADC Ranaghat-II Project payable at Aranghata.
- iv) Tender Form (WBCADC Form No.-103) & N.I.T.
- (v) Special terms & conditions.
- vi) Technical specification of the work
- vii) Instruction to bidders.

#### **B. Non-statutory Cover containing the following documents:**

- (i) Attested copy /copies of Professional Tax (PT) deposit receipt challan for the financial year 2014-15 Pan Card, IT, Saral for the Latest Assessment year, VAT Registration Certificate.
- (ii) Attested copy /copies of Registration Certificate under Company Act. (if any).
- (iii) Registered Partnership Deed / Article of Association & Memorandum.
- (iv) Registered Power of Attorney (For Partnership Firm / Private Limited Company, if any).
- (v) Registered Clearance Certificate for the Current Year issued by the Assistant Register of Co-Operative Society (ARCS), bye laws are to be submitted by the Registered Labour Co-Operative Society / Engineers' Co-Operative Society.
- vi) Proof of financial soundness /capacity from bank or audited balance sheet of previous year or any other proof of financial capacity.
- vii) Proof of technical soundness, completion certificates of work executed in last 03 yrs.
- viii) Affidavit (Ref. format shown in "X", Section B)
- ix ) List of technical staff along with structure and organization (Section-B, Form-II).

**N.B.:** Failure of submission of any of the above mentioned documents as stated in Sl. No. A.1.1.1. and Sl. No. 'B' will render the tenderer liable to be rejected for both statutory & non statutory cover.

Both the statutory and non-statutory cover shall be duly sealed and then be put in a large envelope sealed and super scribed with **Envelope -I (Technical Proposal).** 

#### A.1.2. FINANCIAL PROPOSAL

A.1.2.1. The financial proposal should contain the following document in one cover (folder) i.e. schedule of work.

The cover for Financial proposal shall be duly sealed and super scribed with **Envelope-II** (Financial Proposal).

Both the sealed Envelopes for Technical & Financial Proposal should then be put in a larger 3<sup>rd</sup> Envelope which should be properly sealed and on which should be superscribed the name of the work and the name of the tender.

Each and every page of tender documents to be submitted alongwith the tender form as mentioned above shall be duly signed by the tenderer with official seal failure of which the tender shall be liable for rejection.

The tenderer is requested to quote strictly as per the terms and conditions, specification, standards given in the tender document and not to stipulate any deviations. However deviations, if unavoidable, should be indicated in a separate sheet indicating the back ground against which the deviations are taken.

The rate to be quoted in the Schedule of work under Financial Bid. In case quoting any rate in Tender Form (WBCADC Form No.-103), the tender is liable to be summarily rejected.

#### RATES TO BE QUOTED

The tenderer should quote in English both in figures as well as in words the rate and amount tendered by him and in such a way that interpolation is not possible.

Filling of tender form and other documents shall clearly and legibly be written and whole writing must by the hand of person signing tender and with same pen and ink. Failure to do so makes the tender invalid. Erasing or overwriting shall not be allowed. Correction of the said writing should be avoided and if this becomes unavoidable, the entire quotation and not a portion only shall be scored out and signed by the tenderer in token of such cancellation. A fresh quotation shall then be written correctly.

Addenda to this tender document if issued must be signed and submitted along with the tender document. The tenderer should write clearly the revised quantities in 'Schedule of Supply' of Tender document and should price the work based on the revised quantities when amendment for quantities are issued in addenda.

- A.1.3. Tender Evaluation Committee (TEC).
- A.1.3.1. Evaluation Committee constituted by the competent authority will function as Evaluation Committee for selection of technically qualified contractors.
- A.1.3.2. Opening & evaluation of tender: If any tenderer is exempted from payment of EMD, copy of relevant Government Order needs to be furnished.
- A.1.3.3. Opening of Technical Proposal:

Technical proposals will be opened by the Administrative Secretary, WBCADC and his authorized representatives on date & time schedule mentioned in Sl.No(1) .of this N.I.T.

- A.1.3.4. Intending tenderers may remain present if they so desire.
- A.1.3.5. Cover (folder) for Statutory Documents (Ref. Sl. No. A.1.1.1.) will be opened first and if found in order, cover (folder) for Non-Statutory Documents (Ref. Sl. No.A.1.1.2.) will be opened. If there is any deficiency in the Statutory Documents, the tender will summarily be rejected.
- A.1.3.6. Pursuant to scrutiny & decision of the Tender Evaluation Committee the summary list of eligible tenderers will be displayed in the Notice Board of this office at WBCADC, Ranaghat-II Project, P.O.- Aranghata, Dist.- Nadia
- A.1.3.7. During evaluation the committee may summon of the tenderers & seek clarification /information or additional documents or original hard copy of any of the documents already submitted & if these are not produced within the stipulated time frame, their proposals will be liable for rejection.

## A.1.3.8. Opening of Financial Proposal

The price bid of the eligible tenderers (mentioned in Sl.A. 1,3.6.) will only be opened in a suitable date & time. Such Date & time will be intimate to them in due course. Concerned Tenderers may remain present at the time of opening if they so desire.

#### A.2 **Penalty for suppression / distortion of facts**:

If any tenderer fails to produce the original copies of the documents (especially Completion certificates and Audited Balance Sheets), or any other documents on demand of the Tender Evaluation Committee within a specified time frame or if any deviation is detected in the submitted copies from the original, it may be treated as submission of false documents by the tenderer and action may be referred to the appropriate authority for prosecution as per relevant IT Act.

# A.2.1. **Rejection of Bid**:

Employer reserves the right to accept or reject any Bid and to cancel the Bidding processes and reject all Bids at any time prior to the award of Contract without there by incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the ground for Employer's action.

#### A.2.2. Award of Contract

The Bidder whose Bid has been accepted will be notified by the Tender Inviting & Accepting Authority through acceptance letter / Letter of Acceptance. The notification of award will constitute the formation of the Contract. The Agreement in WBCADC Form No. - 103 will incorporate all agreements between the Tender Accepting Authority and the successful bidder. All the tender documents including N.I.T. & Schedule of work will be the part of the contract documents. After receipt of Letter of Acceptance, the successful bidder shall have to submit requisite copies of contract documents along with requisite cost [Rs 1,050.00(Rupees one thousand fifty) only]through Demand Draft / Banker's cheque issued from any nationalized /scheduled bank in favour of the WBCADC Ranaghat-II payable at Aranghata within time limit to be set in the letter of acceptance. Failing to comply of the above within the specified time, the contractor shall render his contracts liable to termination with forfeiture of earnest money.

Sd/-OFFICER-IN-CHARGE

WBCADC RANAGHAT-II PROJECT

DISTRICT NADIA

# SECTION – B FORM – I PRE-QUALIFICATION APPLICATION

To
The Officer-in-Charge
WBCADC Ranaghat-II Project
P.O.- Aranghata
District- Nadia

Ref: Tender for Construction of Farmer's Training Centre at 1<sup>st</sup> floor of Administrative Building N.I.T. No. 1/2014-15 dated18.09.2014 issued under Memo No.: 010/001/08/20/665/1(14) Dated 18.09.2014 by The Officer-in-Charge, WBCADC Ranaghat-II Project.

Dear Sir,

The necessary evidence admissible by law in respect of authority assigned to us on behalf of the group of firms for Application and for completion of the contract documents is attached herewith.

We are interested in bidding for the work given in Enclosure to this letter. We understand that:

- (a) Tender Inviting & Accepting Authority can amend the scope & value of the contract bid.
- (b) Tender Inviting & Accepting Authority reserves the right to reject any application without assigning any reason.

#### **Enclosure(s):**

1. Statutory Documents.

2. Non Statutory Documents.	
Date:	Signature of applicant including title and capacity in which application is made.

#### **SECTION - B**

#### AFFIDAVIT - "X"

# (To be furnished in Non – Judicial Stamp paper of appropriate value duly notarized)

I, the under-signed do certify that all the statements made in the attached documents are true

1.

	and correct. In case of any information submitted proved to be false or concealed, the application may be rejected and no objection/claim will be raised by the under-signed.
	2. The under-signed also hereby certifies that neither our firm M/S
3.	The under-signed would authorize and request any Bank, person, Firm or Corporation to furnish pertinent information as deemed necessary and/or as requested by the Department to verify this statement.
4.	The under-signed understands that further qualifying information may be requested and agrees to furnish any such information at the request of the Department agrees to furnish any such information at the request of the Department.
5.	Certified that I have applied in the tender in the capacity of individual/ as a partner of a firm and I have not applied severally for the same job.
	Signed by an authorized officer of the firm.
	Title of the officer
Date:	Name of the Firm with Seal

### SECTION – B

# FORM – II

# STRUCTURE AND ORGANISATION

A. 1	Name of Applicant	:	
A. 2	Office Address	:	
	Telephone No.	:	
	Fax No.:		
A. 3	Name and Address of Bankers	:	
A.4	Attach an organization chart showing the structure of the company with names of Key personnel and technical staff with Bio-data.		
Note:			ership, Limited Company or Corporation.
			applicant including title
	and ca	ipacity in	which application is made.

# SPECIAL TERMS AND CONDITIONS

- 1. All works are to be done as per general condition and general specification of the P.W.D. Schedule unless specified in the tender.
- 2. All materials, tools and plants, labours, royalty of building materials (if any) electricity restoration charges and other charges of municipalities or statutory bodies, ferry charges, loading, unloading and handling charges etc. etc. have to be borne by the contractors at their own cost inclusive of Sales tax and all other charges for the execution of the complete or finished work, or in case of supply of materials and for carriage, to the entire satisfaction of the Engineer-in-Charge of the work. In case of non-availability of site or failure of the department to issue materials if specified or necessary drawing etc. in time, extension of time for the period lost, will be granted on receipt of application from the contractor duly recommended by the Engineer-in-Charge. 'No claim' whatsoever for loss of labour charges, tools and plants, scaffolding and increase of cost of materials, transportation charges etc. etc. would be entertained under any circumstances. The contractor should consider the above factors while quoting his rates.
- 3. Before submission of tenders the contractor should verify from the market about availability of the materials and in no case extension of time will be generally considered on this ground.
- 4. The contractor should appoint an authorized representative who is technically qualified (BE/LCE/ LEE depending upon the type and value of the work) for day-to-day management of the work. The selection of authorized representative is subject to the approval of the Project authority concerned and contractor shall seek in writing such approval of the Project authority, giving therein name and address of the representative he wants to appoint with his specimen signature duly attested by the contractor and the specific purpose for which the representative will be authorized for. Even after first approval the Project authority may issue at any subsequent date, revised directions about such authorized representative and the contractor shall be bound to abide by such directions. The project authority shall not be bound to assign any reason for any of his directions with regard to the appointment of authorized representative.
- 5. The contractor shall take up the work within seven days from the date of receipt of the work order. He should supply site work order book at his own cost to the Project authority. The site order book shall be kept under the custody of Engineer-in-Charge. The site work order book shall have machine numbered pages in triplicate. Directions or instructions from departmental officers to be issued to the contractor will be entered (in duplicate) in the site work order book (Except when such directions or instructions are given by separate letters). The contractor or his authorized representative shall regularly note the entries in the site work order book and also record thereon the action taken or being taken by him complying with the said directions or any instructions or any relevant point relating to the work. The contractor or his authorized representative may take away the triplicate page of the work order book for his own record.
- 6. Supplementary item of works or any claims shall not be entertained unless supported by entries in the work order book or any written order.

- 7. Before starting the work, work site, where necessary, must be properly dressed after cutting, clearing and clearing all varieties of jungles and shrubs including bamboo clusters or any undesirable vegetation from within the boundary or alignment or site of works, for which nothing will be paid extra.
- 8. The contractor shall make his own arrangements for storage of tools and plants etc. and shall clear and remove the work shed (if any) after completion of the work, which may have created in Corporation's land. Before using any space in Corporation land for any purpose whatsoever, approval of the Project authority in writing is to be obtained by the contractor.
- 9. Cost of various tests, e.g., testing of concrete moulds etc. to be carried out by the contractor under the direction of the Project Engineer/Project Authority and for this no extra payment will be allowed.
- 10 a) All materials to be supplied and used in works by the contractor should be stacked properly at site for the approval of the Engineer-in-Charge. All rejected materials of whatever nature must be removed from the work site within 48 hours of rejection. Otherwise no work shall be continued till the rejected materials are removed from the work site and rent will be charged on the contractor for occupying corporation's land at the rates as to be considered reasonable by the Project authority whose decision would be final to that effect.
- 10. b) The responsibility for staking of the serviceable materials and their safeguard lies solely with the contractor.
- 11. Arrangement of water for mixing concrete, soaking bricks, bricks bats and other materials, construction of platforms, vats including cost thereof are to be borne by the contractor. Payment of sales tax for materials, necessary for complete execution of the work, shall have to be made by the contractor.
- 12. No claim for idle labour would be entertained under any circumstances.
- 13. All risks on account of railway or roads carriage including loss or damage of vehicles, materials or labour will have to be borne by the contractor.
- 14. All items of the schedule of works are finished items, except otherwise stated and as such the rate of items are over inclusive of all demands.

#### **Samples:**

- 1. Samples of all goods to be supplied by the contractor and used in the works shall have to get approval of the Engineer-in-Charge of works prior to being used, fitted and fixed.
- 2. Approval of shade has to be obtained also prior to apply of painting works.

# 3. Sanitary and Plumbing and Drainage.

All works are to be carried out in accordance with the specifications and conditions for original repairs works 'Sanitary and Plumbing' as stipulated in the P.W.D. schedule of the concerned circle. All works will have to be done with approved materials.

4. Out side of all pipes and fittings shall have to be painted if so specified with two coats of paints of approved brand and shade over a coat of approved primer to match the surface.

# **Rectification of Damages:**

- 5. Holes through walls, floors, chujja, sunshade etc. should be made just sufficient and not more than 75 mm, larger than outside dia of pipes. This should be filled up with cement concrete (1:2:4) with trap stone chips. After laying the concrete, the same should be properly cured. After curing the damaged parts should then be fully restored to the original conditions and fully matched with surface in contact. Costs of such works are included in the rates for relevant items and no extra for these items of works would be paid under any circumstances.
- 6. Measurement of all items of work including supply of materials and composition of materials etc. will be guided as per norms mention the P.W.D. schedule of area concerned.

# 7. Change of address:

If there be any change of original postal address (mentioned at the time of tender) during the execution and finalization of the work that should be communicated to the Project Authority within 7 days from the date of such changes.

8. Tenderers should also read carefully the content of N.I.T. & other tender documents before submission of the tender in order to be conversant with the provisions stipulated in the NIT, printed tender form, schedule of work, general, special and additional terms and condition etc.

Subsequent plea of ignorance of the site condition, terms and condition of the NIT and other Tender documents shall not constitute a ground for preferring & claim of any nature.

Sd/-

Officer-in-Charge W.B.C.A.D.C. RANAGHAT-II Project

# **Section- D** WEST BENGAL COMPREHENSIVE AREA DEVELOPMENT CORPORATION RANAGHAT- II **PROJECT,**Schedule for construction of farmer's training centre at 1<sup>st</sup> floor of office building at Ranaghat-II Project

	Schedule for construction of farmer's training centre at 1" f				
Sl. no	Description of Item	Quantity	Unit	Rate	Amount
1	Stripping of worn out plaster including racking out joints and removing of rubbish as per direction	20.0 M <sup>2</sup>	$%$ $M^2$	1236.00	247.00
2	Dismantling all types of reinforced cement concrete work, including cutting rods stacking serviceable materials at site and removing rubbish as directed within a lead of 75m in ground floor including roof.	1.0 M <sup>3</sup>	M <sup>3</sup>	643.93	644.00
3	Dismantling all types of masonry excepting cement concrete plain or reinforced, stacking serviceable materials at site and removing rubbish as directed within a lead of 75m with careful dismantling and recovering at least 150 nos of usable bricks/cum.  i) In ground floor including roof.	$2.5  \mathrm{M}^3$	$\mathbf{M}^3$	383.30	958.00
4	Brick work in cement mortar (1:6) with 1 <sup>st</sup> class klin burnt bricks and coarse sand including necessary curing i) In the 1 <sup>st</sup> floor including parapet wall	14.5 M <sup>3</sup>	$\mathbf{M}^3$	5121.89	74,267.00
5	Hire and labour charges for shuttering with centering and necessary staging upto 4 m. using approved stout props and thick hard wood planks of approved thickness with required bracing for concrete slabs, beams, columns, lintels curved or straight including fitting, fixing and striking out after completion of works 25 mm to 30 mm thick wooden shuttering as per decision and direction of EIC.  i) 1 <sup>st</sup> floor	170.0 M <sup>2</sup>	$M^2$	288.72	49,082.00
6	M.S./T.S. reinforcement (for reinforced concrete work) including distribution bars, stirrups, binders etc. including supply of rods, including straightening band and half round bar (including coil bar) of any dia and removal of loose rust (if necessary) cutting to requisite length hooking cranking and binding with 1.626 mm black annealed wire at every intersection complete as per drawing and direction of EIC including cost of wire. (payment to be made on requirement of reinforcement as per drawing or direction) i) In 1 <sup>st</sup> floor	2.30 MT	MT	59727.85	1,37,374.00
7	Ordinary cement concrete (3:1.5:1) mix M-20 with approved graded trap stone chips 20 mm down (Pankur/ Chandil) including laying, casting, tapping, curing etc. with all other incidental work for structural concrete but excluding shuttering and reinforcement if any upto any height as per IS 456-2000.  (i) In 1 <sup>st</sup> floor	$16.0 \text{ M}^2$	$M^2$	5769.75	92,316.00
8	Plaster (to wall, floor etc.) with sand cement mortar including rounding off or chamfering corners, as directed and racking out joints or roughening of concrete surface	2010 111		2.07.113	2,510.00

	including chipping and application of cement slurry where				
	necessary etc. complete with throating, noising and drip				
	course where necessary as per direction of EIC.				
	a) In 1 <sup>st</sup> floor				
	i) 10 mm thick plaster (4:1)	125.0 M <sup>2</sup>	$\mathbf{M}^2$	106.84	13,355.00
		160.0 M <sup>2</sup>	$M^2$		
	ii) 15 mm thick plaster (6:1)	90.0 M <sup>2</sup>	$M^2$	118.16	18,906.00
	iii) 20 mm thick plaster (6:1)	90.0 M	IVI	138.49	12,464.00
9	Net cement punning in wall, dado window sills, floor, drain				
	etc. complete with supply of all materials and labours as per direction of EIC.	2015	3.72	21.16	62.00
10		$2.0 \text{ M}^2$	$M^2$	31.16	62.00
10	12.5 cm. thick brick work in sand cement mortar (4:1) with				
	1 <sup>st</sup> class klin brunt bricks of approved quality and HB				
	netting (cost inclusive) in every 3 <sup>rd</sup> layer upto any height or				
	depth complete as per direction of EIC with supply of all				
	materials and labour.  ii) In 1 <sup>st</sup> floor	26.0 M <sup>2</sup>	$\mathbf{M}^2$	712.32	18,520.00
1.1	l /	20.0 M	IVI	/12.32	18,520.00
11	Suppling, fitting & fixing 1 <sup>st</sup> quality Ceramic tiles of any				
	size having mat finish in walls and floors including borders to match with the existing work, set in sand cement mortar				
	(4:1) including backing concrete (1:2:4) & 4 nos. of key				
	stones (10 mm) fixed with a raldite at the back of each tile				
	finishing the joints with white cement mixed with				
	colouring oxide if required to math colour of tiles.				
	a) coloured decorative				
	i) In floor (Area of each tile above 0.09 Sq.M)	66.0 M <sup>2</sup>	$M^2$	752.81	49685.00
	ii) In wall (Area of each tile upto 0.09 Sq.M)	$19.0M^2$	$M^2$	720.26	13685.00
12	* *	19.0101	IVI	720.20	13063.00
12	Cement washing including cleaning and smoothening surface thoroughly (cement to be used @15				
	Kg./100sq.m of surface for one coat and @25 Kg./100 sq.m				
	of surface for one coat):				
	External surface(1 <sup>st</sup> floor)	250 03 52	04.3.52	710.02	1000.00
10		250.0M <sup>2</sup>	% M <sup>2</sup>	719.93	1800.00
13	Applying decorative cement based paint of approved				
	quality after preparing the surface including scraping the				
	same thoroughly (plastered or concrete surface) as per manufacturer's specification.				
	In 1 <sup>st</sup> floor: (i) Two coats.	2	2		
	· · ·	$375.0 \text{ M}^2$	$M^2$	49.35	18506.00
14	Priming one coat on timber or plastered surface with				
	synthetic oil bound primer of approved quality including				
	smoothing surface by sand papering etc.	$6.0  \text{M}^2$	$\mathbf{M}^2$	30.43	183.00
15	Priming one coat on steel or other metal surface with				
	synthetic oil bound primer of approved quality including				
	smoothing surface by sand papering etc.	$12.0 \text{ M}^2$	$M^2$	24.87	298.00
16	Painting with best quality synthetic enamel paint of				
	approved make and brand including smoothening surface				
	by sand papering etc. including using of approved putty etc				
<u> </u>	on the surface, if necessary:				
	(a) On timber or plastered surface :				
1	*				
	With super glossy (hi-gloss) -	3			
	With super glossy (hi-gloss) - i) Two coats	$6.0 \mathrm{M}^2$	$M^2$	67.20	403.00
	With super glossy (hi-gloss) -	$6.0 \text{ M}^2$ $12.0 \text{ M}^2$	$M^2$	67.20	403.00

17	Rendering the surface of walls and ceiling with wall putty of approved brand and make as per manufacturer's specification) complete with supply of all materials and		2		
18	labour charges.  Oil bound distemper (Synthetic) to interior wall ceiling	145.0 M <sup>2</sup>	$M^2$	76.90	11150.00
	with a coat of priming (as per manufacturer's specification) including cleaning and smoothening surface (two coats)	145.0 M <sup>2</sup>	$\mathbf{M}^2$	55.90	8105.00
19	Sal wood work in door/ window frames in curvature or straight supplied fitted & fixed including a protective coat of painting at contact surface of the frame complete in all respects with supply of all materials and labour as per direction of EIC (quality to be corrected upto three decimals)				
	i) Malayasian Sal	$0.10 \mathrm{M}^3$	$\mathbf{M}^3$	70603.00	7060.00
20	M.S. clamps for fixing door and window frames made of flat bent bar, end bifurcated fixed in cement concrete with stone chips (4:2:1) fitted and fixing complete in all respect as per direction of EIC with supply of all materials and labour (cost of cement concrete will be paid separately) 40 mm X 6 mm above 125 mm upto 200 mm length.	18 nos	Each	29.51	531.00
21	Supplying fitting and fixing steel windows and ventilators with integrated grills conforming to I.S. 1038-1975 and manufactured from rolled steel heavy type section conforming to I.S. 7452-1974 with non-friction projecting type box type box hinges glazing clips, lungs locking bracket, handle plate etc. Including hoisting in position straightening if require fixing lugs in cement concrete (4:2:1) with stone chips 19 mm down cutting holes and mending good damages to match with existing surface including fixing 3 mm thick plain sheet glass panes as glazing fixed with putty nail clip etc. including fitting and fixing 300 mm long steel peg stay and two point nose steel handled complete in all respect as direction of EIC.				
	(a) Openable steel windows as per I.S. specification with side hung sutters and horizontal glazing bars	11.60M <sup>2</sup>	$\mathbf{M}^2$	1,526.62	17,709.00
	(b) Two point nose steel handle including fitting & fixing complete  © Aluminium peg stay 300 mm long including fitting &	28 nos	Each	27.00	756.00
	fixing.	28 nos	Each	30.00	840.00
22	M.S. integrated grills as per approved design integrated with steel window or ventilator joints continuously welded with M.S. flat & bars.	140.0 Kg	Kg	59.44	8,322.00
23	Supply best quality Indian sheet glass panes set in putty and fitted & fixed with nails and putty complete in all floors, 4 mm thick (weighing 7.4 Kg/Sq.m)	11.5 M <sup>2</sup>	$\mathbf{M}^2$	561.26	6454.00
24	Double leaf panel shutters of door and window as per design (each panel consisting of single plank without joint) including fitting & fixing the same in position but excluding the cost of hinges and other fittings in all floors with gamar wood.  a) 35 mm thick shutters with 19mm thick panel.			2 3 1 1 2 3	0.2.100

	i) 1 <sup>st</sup> floor	$4.0 \text{ M}^2$	$M^2$	2422.07	9688.00
25	Supplying fitting, fixing door window fittings with steel				, , , , , , ,
25	screws.				
	(a) M. S.Hinges				
	(i) 100 mm x 58 mm x 1.90 mm	12 nos	Each	45.55	547.00
	(ii) 75 mm x 47 mm x 1.70 mm	11 nos	Each	28.28	311.00
	(b) Anodized alluminium tower				
	/socket bolt				
	(i) 225 mm long x 10 mm dia bolt	4 nos	Each	92.17	369.00
	(ii) 150 mm long x 10 mm dia bolt	2 nos	each	63.73	127.00
	(c) Anodized alluminium sliding bolt				
	(i) 250 mm long x 16 mm dia bolt	2 nos	each	253.94	508.00
	(d) Anodized alluminium D type handle				
	(i) 125 mm grip x 10 mm dia rod	12 nos	each	94.66	1136.00
	e) Supplying, fitting and fixing hinged cleat in position	12 1105	-	7.100	1100.00
	(excluding the cost hinge and other fittings)				
	f) Wooden buffer block made of Malayasian Sal wood 125				
	mm long	4 nos	Each	40.00	160.00
26	Supply of G.I. pipes of TATA made including necessary				
	sockets.				
	(i) Medium quality				
	(a) 15 mm dia	6 .0MT	RM	133.00	798.00
	(b) 25 mm dia	12.0 MT	RM	215.00	2580.00
27	Supplying fitting, fixing below noted plumbing materials				
	with necessary jointing compound				
	a) 25mm dia 150mm long G.I. nipple	4 nos.	Each	37.00	148.00
	b) 15mm dia 150mm long G.I. nipple	6 nos.	Each	21.00	126.00
	c) 25mm dia G.I.Union	1 no	Each	101.00	101.00
	d) 25mm dia G.I. Socket	2 no.	Each	24.00	48.00
	e) 25mm dia G.I. elbow	6 no.	Each	45.00	270.00
	f) 15mm dia G.I. elbow	5 nos.	Each	17.00	85.00
	g) 40mm dia plain elbow	4 nos.	Each	94.00	376.00
	h) 25 mm dia steel plug	1 no.	Each	15.00	15.00
	i) 25mm Plain Tee	2 nos.	Each	63.00	126.00
	j) 25 mm x 15 mm reducing Tee	5 nos.	Each	70.00	350.00
	k) 40mm plain Tee	5 nos.	Each	125.00	625.00
28	Supplying, fitting and fixing gun metal wheel valve of				
	approved brand and make tested to 21 kg/cm <sup>2</sup>				
	(for water lines only)				
	a) 25 mm dia	1 no.	each	708.00	708.00
29	Labour for fitting and fixing G.I pipes above ground in				
	structures with holder bat clamps including cost of jointing				
	materials, holder bat clamps etc., as necessary, including				
	cutting pipes, making threads etc. complete in all respect				
	with two coats of painting with approved paint any height.  (a) 25 mm dia	13 .0M	RM	36.00	468.00
	(a) 23 mm dia (b) 15 mm dia	-			
30	· /	7 .0M	RM	30.00	210.00
30	Supplying, fitting, fixing 25 mm thick marble partition slab with white adanga marble square cut, other sides polished				
	with winte adding a marble square cut, other sides polished				

		I		l I	
	with two front corners rounded and edges polished				
	including cutting grooved in wall and mending good				
	damages with cement mortar (4:1) or cement concrete				
	(4:2:1)) with stone chips	$1.62 \text{ M}^2$	$\mathbf{M}^2$	2753.00	4460.00
31	Supplying, fitting, fixing white vitreous china best quality				
	approved make Wash basin with C,I brackets on 75 mm X				
	75 mm X75 mm wooden blocks, C.P waste fittings of 32				
	mm dia, one approved quality brass C.P pillar cock of 15				
	mm dia, C.P chain with rubber plug of 30 mm dia,				
	approved quality P.V.C waste pipe with C.P nut 32 mm				
	dia, 900 mm long approved quality P.V.C. connection pipe				
	with heavy brass C.P nut including mending good damages				
	and painting the brackets with two coats of approved paints				
	i) 550 mm X 400 mm	1 set	set	2038.00	2038.00
22	,	1 801	SCI	2036.00	2038.00
32	Supplying fitting and fixing in position approved P.V.C.				
	door frame (Matt finish) made of extruded P.V.C. multi				
	chamber hollow section having dimensions 60mm X 50mm				
	x 2mm (+/-0.2mm), horizontal section will be joined with				
	vertical section by galvanized steel screws after inserting				
	two number steel brackets as reinforcement making				
	suitable space for placing hinges, one steel tube 40mm x				
	20mm x 1.20 mm will be inserted on one full vertical side				
	of the frame (hinge side) as reinforcement, the frame will				
	then be fixed in the opening with the help of P.V.C.				
	expandable fastener/wooden gutties and galvanized steel				
	screws including cost of all materials and labour, hire				
	charges of tools and appliances, carriage of all materials,				
	taxes and all other incidental charges complete.				
		5.10 M	RM	335.55	1711.00
33	Supplying fitting and fixing P.V.C. door shutter of approval				
	quality & shade in position, the style & railof the P.V.C.				
	door shutter will be made of rigid P.V.C. multicavity				
	hollow chamber of 59 mm x 30mm section with 2.0 mm				
	(+/-0.2 mm) wall thickness Horizontal & vertical section				
	shall be fixed to each other by self tapping screws and 1				
	solid polymeric or M.S. galvanized tubular 'L' shaped				
	bracket 100mm x 200mm in each corner of the shutter				
	frame for placing hinges. Polymer based multicavity				
	hollow section of 120 mm x 30mm with 2.0 mm (+/-0.2				
	mm) wall thickness will be fitted in the middle, reinforced				
	by solid polymer bar of 200 mm long at both ends and				
	screws from both sides as lock rail. The section frame will				
	then be fitted in by PVC panels of size 100 mm x 25 mm				
	with wall thickness of 1.2 mm (+/-0.2 mm) and 2 nos of 6				
	mm dia bright rod will be inserted horizontally with both				
	side check and nut system and stretches where fixing of				
	hinges /hasp bolt / tower bolt /door ring are required to be				
	strong enough to with stand wear and tear. The rate is				
	inclusive of cost of all materials, labour, and hire of tools				
	and plants and appliances. Carriage of all materials taxes				
	and all other incidental charges complete. The rate is				
	exclusive of cost of hinges, hasp bolt, Tower bolt, door ring				
	etc.				
				-	

	i) 30 mm thick in 1 <sup>st</sup> floor.				
		$1.60 \text{ M}^2$	$\mathbf{M}^2$	1976.95	3163.00
34	Supplying, fitting and fixing C.P.bib cock/ stop cock of				
	approved make and brand tested 21 kg/cm <sup>2</sup>				
	Essco or similar approved brand				
	a) Deluxe (heavy type), 15 mm dia.	6 nos	Each	499.00	2994.00
35	Supplying, fitting and fixing Flat Black Urinal(half stall				
	urinal) in white vitreous chainware of approved make in				
	position with brass screws on 75 mm X 75 mm wooden				
	blocks complete.	4	P 1	7.55.00	2064.00
	i) 465 mm X 355 mm X 265 mm	4 nos.	Each	766.00	3064.00
36	Supplying, fitting and fixing towel rail with two brackets,				
	C.P. over brass, 25 mm dia and 450 mm long.	1 no	Each	301.00	301.00
37	Supplying, fitting and fixing approved brand 32 mm dia				
	P.V.C waste pipe, with P.V.C. coupling at one end fitted				
	with necessary clamps.	_	- 1	55.00	220.00
	i) 750 mm long for urinals.	5 nos.	Each	66.00	330.00
38	Supplying, fitting and fixing best quality Indian make				
	mirror 5.5 mm thick with silvering as per I.S specifications				
	supported on fibre glass frame of any colour, frame size				
	550mm X 400mm	1 no.	Each	488.00	488.00
39	Supplying, fitting and fixing PTMT Smart shelf of				
	approved make of size 300 mm.	1 no.	Each	247.00	247.00
40	Supply and laying true to line and level and level 20 mm/25				
	mm thick precast tiles made of cement concrete with stone				
	chips as per approved strength and density set in 40 mm				
	(avg) thick lime surki mortar (1:3) or sand cement mortar				
	(1:3) as directed under bed as leveling course including				
	filling depression, if any, to have a desired slop and filling				
	up joint (3 mm wide) with mortar(1:1) applying cement				
	slurry @ 1.75 kg per sq.m over the under bed and then setting close the precast tiles, finishing up the joints with				
	slurry already laid and Supply and laying true to line and				
	level 20mm/ 25 mm thick precast tiles made of cement				
	concrete with stone chips as per approved strength and				
	density set in 40 mm (avg) thick lime surki mortar (1:3) or				
	sand cement mortar (1:3) as directed under bed as leveling				
	course including filling depression, if any, to have a desired				
	slope and filling up joint (3 mm wide) with mortar (1:1)				
	applying cement slurry @ 1.75 Kg per sq.m over the under				
	bed and then setting close the precast tiles, finishing up the				
	joints with slurry already laid and finally finishing the top				
	surface including providing 150 mm high skirting with the				
	same tiles flushed with the inside surface of parapet wall,				
	flushing the month of rain water pipes curving etc. as				
	necessary complete as per direction of the Engineering-in-				
	charge.				
	a) For 25 mm thick precast tiles.	01352	3.52	105.55	25 201 22
41		81 M <sup>2</sup>	$\mathbf{M}^2$	435.57	35,281.00
41	Galvanised corrugated iron sheet work (excluding the				
	supporting frame work) fitted and fixed with 10 mm. dia J				

				Total	6,88,067.00
	a) 40 mm dia	9.0 M	RM	233.00	2097.00
43	Supply of PVC pipes (medium duty ) conforming to ASTMD-1785 and threaded to match with GI pipes as per IS: 1239 (Part-I)				
12		260.0 Kg	M.T	76,260.55	19,828.00
13	The rate includes the cost of rolled steel section, Consumables such as electrodes gas and hire charge of all tools and plants and labour required for the work including all incidental charges such as electricity charges, labour insurance charges etc. including handling charges of materials for the work complete. Payment to be made on the basis of calculated weight of structural tubular members as specified in relevant IS code, in finished work. Payment for gusset, bracket, cleat may be adding the actual weight of such items with weight of finished structural members. The rates are considered for a height of erection 8 m. / 2 <sup>nd</sup> floor level from the ground. Add 1.5 % extra over the rate for each additional floor or 4m. beyond the initial 8 m part thereof.  i) For trusses spanning up to 12 m	260.0 Kg	М.Т	76,260.55	19,828.00
42	M.S. structural works in roof trusses with tubular sections conforming to IS: 806-1957 & IS: 1161-1958 connected to one another with bracket, gusset cleats as per design, direction of Engineer-in-charge complete including cutting to requisite size, fabrication with necessary metal arc welding conforming to IS: 816-1956 & IS: 9595 using electrodes of approved make and brand conforming to IS: 814-1957, haulage, hoisting and erection all complete.				
	a) With 0.63 mm thick Sheet	50 M <sup>2</sup>	$M^2$	555.35	27,767.00
	or L hook-bolt, limpet and bitumen washers and putty complete with 150 mm. end lap and one corrugation minimum side lap. (Payment to be made on area of finished work)(GCI sheet to be supplied by contractor)  (i) In Roof:-				
		1	1		

(Six lakh eighty eight thousand sixty seventy only)

- a) "I/We agree to carry out the works at par with the Rates shown in above schedule"
- b) "I/We agree to carry out the works at ...... (%) above/below rates shown in the above schedule"

(The said quotation in the exact working of any one of the form (a) or (b) above as applicable must be written in proper manner.)

Name of	`the	r t	eı	n	lε	er	e	r.										 		
Address											 				 			 		

## **Section E**

## TECHNICAL SPECIFICATION

All works unless specified otherwise shall conform to the latest revisions and / or replacements / amendments of the flowing or any other I. S. Specifications and NB code of practice and as per instruction of Engineer in Charge.

Sl. No	Specification for	Indian Standard no
1.	Design of structural Timber (Fourth revision)	883 : 1994
2.	Structural use of un-reinforced masonry (Third Revision)	1905 : 1987
3.	Brick Work (First revision)	3 2212 : 1991
4.	Construction of floor roof with joists and filler blocks: Part-I with hollow concrete filler block	6061 (Part 1):1971
5.	Construction of floor & roof with joists & filler block: Part 2 with hollow clay blocks joints and hollow clay filler block	6061 (Part 2) :1981
6.	Construction of floor and roof with joists & filler blocks: Part 3 precast hollow clay block joints and hollow clay filler block	6061 (Part 3): 1981
7.	Construction of floor roof with joists & filler blocks: Part 4 with hollow clay block slab panels	6061 (Part 4): 1981
8.	Anti-termite measures in buildings part I constructional measures (First Revision)	6313 (Part 1): 1981
9.	Anti-termite measures in buildings: Part 2 pre constructional chemicaltreatment measures (First Revision) (Amendment No.5)	6313 (Part 2) :1981
10.	Antitermite measures in buildings Part 3 Existing buildings (First Revision) (Amendment No. 4)	6313 (Part 3): 1981
11.	Installation of Joints in concrete pavements (First revision)	6509 : 1985
12.	Construction of reinforced brick and R.B.C floor and roofs	10440 :1983
13.	Setting out of buildings	11134 :1984
14.	No fines cast in situ cement concrete	12727 :1989
15.	Sand for masonary mortars (first revision)	2116 :1980
16.	Polysulphide base joints sealants : Part 1 General requirements	11433 (Part 1):1985
17.	Polysulphide base joints sealants : Part 2 General requirements Methods of test	11433 (Part 2) :1986
18.	Polysulphide based sealants : Part 1. General requirement	12118 (Part 1):1987
19.	Polysulphide based sealants : Part 2 methods of test	12118 (Part 2) :1987
20.	Field slaking of building lime & preparation of putty (2nd revision)	1653 : 1992
21.	Preparation of use of lime pozzolana mixture concrete in Building & Roads (1st revision)	5817 : 1992

23. Plain & reinforced concrete (Fourth revision) 456: 2000  24. Prestressed Concrete (first revision) (Amendment No 1) 1343: 1980  25. Concrete structures for the storage of liquids: Part I general requirements (Amendment No 1)  26. Concrete structures (Amendment No 1)  27. Concrete structures (Amendment No 2)  28. Concrete structures (Amendment No 1)  28. Concrete structures for the storage of liquids: Part 3 Prestressed concrete structures for the storage of liquids: Part 3 Prestressed concrete structures for the storage of liquids Part 4: Design table (Amendment No 2)  29. Use of immersion vibrators for consolidating concrete (first revision) 3558: 1983  30. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No . 1)  31. Extreme Weather concreting: Recommended practice of hot weather concreting. (Amendment No . 1)  32. Methods of non-destructive testing of concrete: Part 1  Ultrasonic pulse velocity  33. Methods of Sampling & analysis of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design 10262: 1982  36. 36 Concrete slump test apparatus 7320: 1974  37. Ready mixed concrete (2nd revision) 4926: 2003.  38. Artificial lightweight aggregates for concrete masonary units 9142: 1979  39. Construction of lightweight concrete block masonary 6042: 1969  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid infly weight concrete blocks (first revision) 5751: 1984  44. Precast concrete kerbs (first revision) 5751: 1984  45. Precast reinforced concrete door & window frames (first revision) 5751: 1984  46. Precast concrete kerbs (first revision) 5751: 1984  47. Precast concrete doors window frames (first revision) 693: 1981  48. Precast concrete blocks for lintels and sills (Amendment No-1) 9893: 1981  49. Precast concrete mahole covers and frames: Part 1 12592 (Part 1): 1988  50. Precast concrete mahole	22.	Method of field testing of building lime (1st revision)	1624 : 1986
24. Prestressed Concrete (first revision) (Amendment No 1) 25. Concrete structures for the storage of liquids: Part I general requirements (Amendment No 1) 26. Concrete structures for the storage of liquids: Part I general requirements (Amendment No 1) 27. Concrete structure for the storage of liquids: Part 2 Reinforced concrete structures (Amendment No 2) 28. Concrete structures for the storage of liquids Part 4: Design table (Amendment No 2) 29. Use of immersion vibrators for consolidating concrete (first revision) 3558: 1983 30. Extreme Weather concreting: Recommended practice for hot weather concreting; Recommended practice for hot weather concreting; Recommended practice for hot weather concreting. (Amendment No .1) 31. Extreme Weather concreting: Recommended practice for hot weather concreting, (Amendment No .1) 32. Methods of non-destructive testing of concrete: Part 1 13311 (Part 1): 1992 101trasonic pulse velocity 33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer 134. Methods of Sampling & analysis of concrete: Part 2: Rebound hammer 135. Recommended guidelines for concrete mix design 10262: 1982 36. 36 Concrete slump test apparatus 37. Ready mixed concrete (2nd revision) 4926: 2003. 38. Artificial lightweight aggregates for concrete masonary units 40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1) 41. Concrete masonary units Part I Hollow and Solid ightweight concrete blocks (first revision) 42. Reinforced concrete fence posts (First Revision) 5751: 1984 43. Precast concrete kerbs (first revision) 5758: 1984 44. Precast concrete kerbs (first revision) 5758: 1984 45. Precast reinforced concrete plant guards 46. Precast reinforced concrete blocks for lintels and sills (Amendment No-1) 47. Precast concrete blocks for lintels and sills (Amendment No-1) 48. Precast concrete blocks for lintels and sills (Amendment No-1) 4987: 1989 50. Precast concrete manhole covers and frames: Part 1 Covers (Amendment No 3) 50. Precast concrete ma			
25. Concrete structures for the storage of liquids: Part I general requirements (Amendment No 1)  26. Concrete structures for the storage of liquids: Part 2 Reinforced concrete structures (Amendment No-2)  27. Concrete structures (Amendment No-2)  28. Concrete structures (Amendment No 1)  28. Concrete structures (Amendment No 1)  29. Use of immersion vibrators for consolidating concrete (first revision)  370 (Part 3): 1967  (Amendment No. 2)  29. Use of immersion vibrators for consolidating concrete (first revision)  3558: 1983  30. Extreme Weather concreting: Recommended practice for hot weather concreting. Amendment No. 1)  31. Extreme Weather concreting: Recommended practice for hot weather concreting. Amendment No. 1)  32. Methods of non-destructive testing of concrete: Part 1  33. Ultrasonic pulse velocity  34. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete Rerbs (first Revision)  43. Precast concrete kerbs (first Revision)  44. Precast concrete kerbs (first Revision)  45. Precast reinforced concrete plant guards  46. Precast reinforced concrete plant guards  47. Precast concrete blocks (first Revision)  48. Precast concrete blocks (first Revision)  49. Precast concrete bloc			
requirements (Amendment No 1)  26. Concrete structures for the storage of liquids: Part 2 Reinforced concrete structures (Amendment No-2)  27. Concrete structures (Amendment No 1)  28. Concrete structures for the storage of liquids: Part 3 Prestressed concrete structures for the storage of liquids Part 4: Design table (Amendment No. 2)  29. Use of immersion vibrators for consolidating concrete (first revision)  3558: 1983  30. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1)  31. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1)  32. Methods of non-destructive testing of concrete: Part 1  Ultrasonic pulse velocity  33. Methods of sampling & analysis of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No. 1)  41. Concrete masonary units Part 2 Hollow and Solid ightweight concrete blocks (First Revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete kerbs (first revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete plant guards  46. Precast reinforced concrete plant guards  47. Precast concrete blocks for lintles and sills (Amendment No. 1)  48. Precast concrete blocks for lintles and sills (Amendment No. 1)  49. Precast concrete blocks for lintles and sills (Amendment No. 1)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No. 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1981  51. Common burnt clay building bricks (Fifth Revision)  428. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1991			
26.Concrete structures for the storage of liquids: Part 2 Reinforced concrete structures (Amendment No-2)3370 (Part 2): 19627.Concrete structure for the storage of liquids: Part 3 Prestressed concrete structures (Amendment No I)3370 (Part 3): 196728.Concrete structures for the storage of liquids Part 4: Design table (Amendment No. 2)3370 (Part 4): 196729.Use of immersion vibrators for consolidating concrete (first revision)3558: 198330.Extreme Weather concreting: (Recommended practice for hot weather concreting, (Amendment No. 1)7861 (Part 1): 197531.Extreme Weather concreting: Recommended practice for hot weather concreting, (Amendment No. 1)13311 (Part 2): 198132.Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity13311 (Part 1): 199233.Methods of non-destructive testing of concrete: Part 2: Rebound hammer13311 (Part 2): 199234.Methods of Sampling & analysis of concrete1199: 195935.Recommended guidelines for concrete mix design10262: 198236.36 Concrete slump test apparatus7320: 197437.Ready mixed concrete (2nd revision)4926: 2003.38.Artificial lightweight aggregates for concrete masonary units9142: 197939.Construction of lightweight concrete block masonary6042: 196940.Concrete masonary units Part 1 Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)2185: (Part 2): 198341.Concrete masonary units Part 2 Hollow and Solid in ghtweight concrete blocks (first revision)475: 198442.Pr	<i>2</i> 5.		3370 (Fait 1) . 1903
concrete structures (Amendment No-2)  27. Concrete structure for the storage of liquids: Part 3 Prestressed concrete structures (Amendment No I)  28. Concrete structures for the storage of liquids Part 4: Design table (Amendment No. 2)  29. Use of immersion vibrators for consolidating concrete (first revision)  30. Extreme Weather concreting: Recommended practice for hot weather concreting: (Amendment No. 1)  31. Extreme Weather concreting: Recommended practice for hot weather concreting: (Amendment No. 1)  32. Methods of non-destructive testing of concrete: Part 1  Ultrasonic pulse velocity  33. Methods of sampling & analysis of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete mix design  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No. 1)  41. Concrete masonary units Part I Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete kerbs (first revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete plant guards  46. Precast reinforced concrete plant guards  47. Precast reinforced concrete plant guards  48. Precast reinforced concrete plant guards  49. Precast reinforced concrete plant guards  49. Precast concrete kerbs (first revision)  575 : 1984  47. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No. 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 1): 1988  51. Common burnt clay building bricks (Fifth Revision)  1077: 1992  1188	26		3370 (Part 2) : 196
27. Concrete structure for the storage of liquids: Part 3 Prestressed concrete structures (Amendment No 1)  28. Concrete structures (Amendment No 1)  29. Use of immersion vibrators for consolidating concrete (first revision)  30. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1)  31. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1)  32. Methods of non-destructive testing of concrete : Part 1  Ultrasonic pulse velocity  33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  1199: 1959  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No. 1)  41. Concrete masonary units Part I Hollow and Solid lightweight concrete fence posts (First Revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete kerbs (first revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete plant guards  46. Precast reinforced concrete plant guards  47. Precast concrete blocks (first revision)  48. Precast concrete kerbs (first Revision)  49. Precast concrete blocks (first Revision)  49. Precast concrete blocks (first Revision)  40. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (Second Revision) (Amendment No. 1)  41. Precast concrete coping blocks (First Revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete kerbs (first revision)  44. Precast concrete kerbs (first revision)  45. Precast concrete kerbs (first revision)  46. Precast concrete manhole covers and frames: Part 2 frames  47. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 1): 1988  12592 (Part 1): 1988  1260. Precast concrete manhole covers and	20.	• •	
28. Concrete structures for the storage of liquids Part 4: Design table (Amendment No. 2)  29. Use of immersion vibrators for consolidating concrete (first revision)  30. Extreme Weather concreting: Recommended practice for hot weather concreting: Amendment No. 1)  31. Extreme Weather concreting: Recommended practice for hot weather concreting: Amendment No. 1)  32. Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity  33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No. 1)  41. Concrete masonary units Part I Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete kerbs (first revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete door & window frames (first revision)  47. Precast concrete kerbs (first revision)  48. Precast concrete kerbs (first revision)  49. Precast concrete blocks for lintels and sills (Amendment No-I)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No. 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1991  51. Common burnt clay building bricks (Fifth Revision)  12592 (Part 2):1991  51. Common burnt clay building bricks (Fifth Revision)  2188: 1988	27.		3370 (Part 3): 1967
29. Use of immersion vibrators for consolidating concrete (first revision) 30. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1) 31. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1) 32. Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity 33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer 34. Methods of Sampling & analysis of concrete 35. Recommended guidelines for concrete mix design 36. 36 Concrete slump test apparatus 37. Ready mixed concrete (2nd revision) 38. Artificial lightweight aggregates for concrete masonary units 39. Construction of lightweight concrete block masonary 40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No. 1) 41. Concrete masonary units Part I Hollow and Solid lightweight concrete blocks (first revision) 42. Reinforced concrete fence posts (First Revision) 43. Precast concrete kerbs (first revision) 5751: 1984 44. Precast concrete kerbs (first revision) 5751: 1984 45. Precast concrete kerbs (first revision) 5758: 1984 47. Precast concrete kerbs (first revision) 5758: 1981 48. Precast concrete septic tanks Precast concrete septic tanks Precast concrete manhole covers and frames: Part 1 Covers (Amendment No. 3) 50. Precast concrete manhole covers and frames: Part 2 frames 12592 (Part 2): 1992 1259: 1981 12592 (Part 1): 1988 12592 (Part 1): 1988 12592 (Part 1): 1988			
29. Use of immersion vibrators for consolidating concrete (first revision) 30. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1) 32. Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity 33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer 34. Methods of Sampling & analysis of concrete 35. Recommended guidelines for concrete mix design 10262: 1982 36. 36. Concrete slump test apparatus 7320: 1974 37. Ready mixed concrete (2nd revision) 4926: 2003. 38. Artificial lightweight aggregates for concrete masonary units 9142: 1979 39. Construction of lightweight concrete block masonary 6042: 1969 40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1) 41. Concrete masonary units Part 2 Hollow and Solid lightweight 2185: (Part 1):1979 42. Reinforced concrete fence posts (First Revision) 4996: 1984 43. Precast concrete coping blocks (First Revision) 5751: 1984 44. Precast concrete coping blocks (First Revision) 5751: 1984 45. Precast reinforced concrete plant guards 9375:1979 47. Precast concrete kerbs (first revision) 6523: 1983 46. Precast reinforced concrete plant guards 9375:1979 47. Precast concrete blocks for lintels and sills (Amendment No-I) 9893:1981 48. Precast concrete manhole covers and frames: Part 1 12592 (Part 1): 1988 Covers (Amendment No 3) 50. Precast concrete manhole covers and frames: Part 2 frames 12592 (Part 1): 1988 Common burnt clay building bricks (Firth Revision) 1077: 1992 180: 1988	28.		3370 (Part 4) : 1967
30. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1)  31. Extreme Weather concreting: Recommended practice for hot weather concreting: (Amendment No. 1)  32. Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity  33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (Second Revision) (Amendment No 1)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete serbs (first revision)  44. Precast concrete serbs (first revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete blocks for lintels and sills (Amendment No-I)  48. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 1): 1988  51. Common burnt clay building bricks (Firth Revision)  1077: 1992  1180  1280: (Part 1): 1988	20		2550 1002
for hot weather concreting. (Amendment No. 1)  31. Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1)  32. Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity  33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part I Hollow and Solid lightweight concrete blocks (First revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete fence posts (First Revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete blocks for lintels and sills (Amendment No-I)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 1): 1981  12592 (Part 1): 1988  51. Common burnt clay building bricks (Fifth Revision)  1077: 1992  1180: 1988			
31.Extreme Weather concreting: Recommended practice for hot weather concreting. (Amendment No. 1)7861 (Part 2): 198132.Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity13311 (Part 1):199233.Methods of non-destructive testing of concrete: Part 2: Rebound hammer13311 (Part 2):199234.Methods of Sampling & analysis of concrete1199: 195935.Recommended guidelines for concrete mix design10262: 198236.36 Concrete slump test apparatus7320: 197437.Ready mixed concrete (2nd revision)4926: 2003.38.Artificial lightweight aggregates for concrete masonary units9142: 197939.Construction of lightweight concrete block masonary6042: 196940.Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)2185: (Part 1): 197941.Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)2185: (Part 2): 198342.Reinforced concrete fence posts (First Revision)4996: 198443.Precast concrete kerbs (first revision)5751: 198444.Precast concrete kerbs (first revision)5751: 198346.Precast reinforced concrete plant guards9375: 197947.Precast concrete manhole covers and frames: Part 112592 (Part 1): 198848.Precast concrete manhole covers and frames: Part 112592 (Part 1): 198850.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2): 199151.Common burnt clay building bricks	30.		/861 (Part 1) 19/5
weather concreting. (Amendment No. 1)  32. Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity  33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete fence posts (First Revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete splint guards  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 1): 1988  51. Common burnt clay building bricks (Third Revision)  1077: 1992 1180: 1988	21		7861 (Part 2): 1981
32. Methods of non-destructive testing of concrete: Part 1 Ultrasonic pulse velocity  33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  39. Construction of lightweight aggregates for concrete masonary units  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete coping blocks (First Revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete blocks for lintels and sills (Amendment No-I)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 1): 1992  2180: 1988	31.		7601 (1 att 2). 1761
33. Methods of non-destructive testing of concrete: Part 2: Rebound hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1991  51. Common burnt clay building bricks (Third Revision)  13311 (Part 2):1992  11992  11992  11992  12911  13311 (Part 2):1992  11992  11992  12921  12922  12921  12922  12921  12922  12921  12922  1282:1991  12592 (Part 1):1998	32.		13311 (Part 1) :1992
hammer  34. Methods of Sampling & analysis of concrete  35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks  (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight  concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete blocks for lintels and sills (Amendment No-I)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1991  51. Common burnt clay building bricks (Fifth Revision)  1077: 1992  2180: 1988			` '
34.Methods of Sampling & analysis of concrete1199: 195935.Recommended guidelines for concrete mix design10262: 198236.36 Concrete slump test apparatus7320: 197437.Ready mixed concrete (2nd revision)4926: 2003.38.Artificial lightweight aggregates for concrete masonary units9142: 197939.Construction of lightweight concrete block masonary6042: 196940.Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)2185: (Part 1): 197941.Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)2185: (Part 2): 198342.Reinforced concrete fence posts (First Revision)4996: 198443.Precast concrete coping blocks (First Revision)5751: 198444.Precast concrete kerbs (first revision)5758: 198445.Precast reinforced concrete door & window frames (first revision)6523: 198346.Precast reinforced concrete plant guards9375: 197947.Precast concrete septic tanks9872: 198148.Precast concrete blocks for lintels and sills (Amendment No-I)9893: 198149.Precast concrete manhole covers and frames: Part 1 Covers (Amendment No 3)12592 (Part 1): 198850.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2): 199151.Common burnt clay building bricks (Third Revision)1077: 1992 2180: 1988	33.		13311 (Part 2) :1992
35. Recommended guidelines for concrete mix design  36. 36 Concrete slump test apparatus  37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks  (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight  concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete blocks for lintels and sills (Amendment No-I)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  1077: 1992  1077: 1992  1080  1077: 1992  1080  1077: 1992  1080  1080  1080  1080  1077: 1992  1080  1080  1080	24		1100 1050
36.36 Concrete slump test apparatus7320: 197437.Ready mixed concrete (2nd revision)4926: 2003.38.Artificial lightweight aggregates for concrete masonary units9142: 197939.Construction of lightweight concrete block masonary6042: 196940.Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)2185: (Part 1):197941.Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)2185: (Part 2):198342.Reinforced concrete fence posts (First Revision)4996: 198443.Precast concrete coping blocks (First Revision)5751: 198444.Precast concrete kerbs (first revision)5758: 198445.Precast reinforced concrete door & window frames (first revision)6523: 198346.Precast reinforced concrete plant guards9375:197947.Precast concrete septic tanks9872:198148.Precast concrete blocks for lintels and sills (Amendment No-I)9893:198149.Precast concrete manhole covers and frames: Part 112592 (Part 1): 198850.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2):199151.Common burnt clay building bricks (Fifth Revision)1077: 1992Heavy duty burnt clay building bricks (Third Revision)2180: 1988			
37. Ready mixed concrete (2nd revision)  38. Artificial lightweight aggregates for concrete masonary units  39. Construction of lightweight concrete block masonary  40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  5751: 1984  44. Precast concrete kerbs (first revision)  5758: 1984  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  9872: 1981  48. Precast concrete blocks for lintels and sills (Amendment No-I)  9893: 1981  49. Precast concrete manhole covers and frames: Part 1 Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 1): 1988  1077: 1992 Heavy duty burnt clay building bricks (Fifth Revision)  1077: 1992 180: 1988			
38. Artificial lightweight aggregates for concrete masonary units 39. Construction of lightweight concrete block masonary 40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1) 41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision) 42. Reinforced concrete fence posts (First Revision) 43. Precast concrete coping blocks (First Revision) 44. Precast concrete kerbs (first revision) 5751: 1984 45. Precast reinforced concrete door & window frames (first revision) 5758: 1983 46. Precast reinforced concrete plant guards 9375: 1979 47. Precast concrete septic tanks 9872: 1981 48. Precast concrete blocks for lintels and sills (Amendment No-I) 9893: 1981 49. Precast concrete manhole covers and frames: Part 1 Covers (Amendment No 3) 50. Precast concrete manhole covers and frames: Part 2 frames 12592 (Part 1): 1988 51. Common burnt clay building bricks (Fifth Revision) Heavy duty burnt clay building bricks (Third Revision) 1077: 1992 180: 1988			
39. Construction of lightweight concrete block masonary 40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete blocks for lintels and sills (Amendment No-I)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames : Part 2 frames  12592 (Part 1): 1988  1077: 1992  Heavy duty burnt clay building bricks (Third Revision)  1077: 1992  1180: 1988		•	
40. Concrete masonary units Part I Hollow and Solid concrete blocks (Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  45. Precast reinforced concrete door & window frames (first revision)  46. Precast reinforced concrete plant guards  47. Precast concrete septic tanks  48. Precast concrete blocks for lintels and sills (Amendment No-I)  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames : Part 2 frames  12592 (Part 2):1991  51. Common burnt clay building bricks (Fifth Revision)  1077: 1992  Heavy duty burnt clay building bricks (Third Revision)  2180: 1988		<u> </u>	
(Second Revision) (Amendment No 1)  41. Concrete masonary units Part 2 Hollow and Solid lightweight concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  44. Precast concrete kerbs (first revision)  5751: 1984  45. Precast reinforced concrete door & window frames (first revision)  6523: 1983  46. Precast reinforced concrete plant guards  9375:1979  47. Precast concrete septic tanks  9872:1981  48. Precast concrete blocks for lintels and sills (Amendment No-I)  9893:1981  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1991  51. Common burnt clay building bricks (Fifth Revision)  Heavy duty burnt clay building bricks (Third Revision)  1077: 1992  2180: 1988			
concrete blocks (first revision)  42. Reinforced concrete fence posts (First Revision)  43. Precast concrete coping blocks (First Revision)  5751: 1984  44. Precast concrete kerbs (first revision)  5758: 1984  45. Precast reinforced concrete door & window frames (first revision)  6523: 1983  46. Precast reinforced concrete plant guards  9375:1979  47. Precast concrete septic tanks  9872:1981  48. Precast concrete blocks for lintels and sills (Amendment No-I)  9893:1981  49. Precast concrete manhole covers and frames: Part 1  Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1991  51. Common burnt clay building bricks (Fifth Revision)  Heavy duty burnt clay building bricks (Third Revision)  1077: 1992  2180: 1988	40.	(Second Revision) (Amendment No 1)	
43.Precast concrete coping blocks (First Revision)5751: 198444.Precast concrete kerbs (first revision)5758: 198445.Precast reinforced concrete door & window frames (first revision)6523: 198346.Precast reinforced concrete plant guards9375: 197947.Precast concrete septic tanks9872: 198148.Precast concrete blocks for lintels and sills (Amendment No-I)9893: 198149.Precast concrete manhole covers and frames: Part 1 Covers (Amendment No 3)12592 (Part 1): 198850.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2):199151.Common burnt clay building bricks (Fifth Revision) Heavy duty burnt clay building bricks (Third Revision)1077: 1992 2180: 1988	41.		2185 : (Part 2) :1983
44.Precast concrete kerbs (first revision)5758: 198445.Precast reinforced concrete door & window frames (first revision)6523: 198346.Precast reinforced concrete plant guards9375:197947.Precast concrete septic tanks9872:198148.Precast concrete blocks for lintels and sills (Amendment No-I)9893:198149.Precast concrete manhole covers and frames: Part 112592 (Part 1): 1988Covers (Amendment No 3)12592 (Part 2):199150.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2):199151.Common burnt clay building bricks (Fifth Revision)1077: 1992Heavy duty burnt clay building bricks (Third Revision)2180: 1988	42.	Reinforced concrete fence posts (First Revision)	4996 : 1984
45.Precast reinforced concrete door & window frames (first revision)6523: 198346.Precast reinforced concrete plant guards9375:197947.Precast concrete septic tanks9872:198148.Precast concrete blocks for lintels and sills (Amendment No-I)9893:198149.Precast concrete manhole covers and frames: Part 112592 (Part 1): 1988Covers (Amendment No 3)12592 (Part 2):199150.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2):199151.Common burnt clay building bricks (Fifth Revision)1077: 1992Heavy duty burnt clay building bricks (Third Revision)2180: 1988	43.	Precast concrete coping blocks (First Revision)	5751 : 1984
46.Precast reinforced concrete plant guards9375:197947.Precast concrete septic tanks9872:198148.Precast concrete blocks for lintels and sills (Amendment No-I)9893:198149.Precast concrete manhole covers and frames: Part 1 Covers (Amendment No 3)12592 (Part 1): 198850.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2):199151.Common burnt clay building bricks (Fifth Revision) Heavy duty burnt clay building bricks (Third Revision)1077: 1992 2180: 1988	44.	Precast concrete kerbs (first revision)	5758 : 1984
47.Precast concrete septic tanks9872:198148.Precast concrete blocks for lintels and sills (Amendment No-I)9893:198149.Precast concrete manhole covers and frames: Part 1 Covers (Amendment No 3)12592 (Part 1): 198850.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2):199151.Common burnt clay building bricks (Fifth Revision) Heavy duty burnt clay building bricks (Third Revision)1077: 1992 2180: 1988	45.	Precast reinforced concrete door & window frames (first revision)	6523 : 1983
48.Precast concrete blocks for lintels and sills (Amendment No-I)9893:198149.Precast concrete manhole covers and frames: Part 112592 (Part 1): 1988Covers (Amendment No 3)12592 (Part 2): 199150.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2): 199151.Common burnt clay building bricks (Fifth Revision)1077: 1992Heavy duty burnt clay building bricks (Third Revision)2180: 1988	46.	Precast reinforced concrete plant guards	9375 :1979
49.Precast concrete manhole covers and frames: Part 112592 (Part 1): 198850.Precast concrete manhole covers and frames: Part 2 frames12592 (Part 2):199151.Common burnt clay building bricks (Fifth Revision)1077: 1992Heavy duty burnt clay building bricks (Third Revision)2180: 1988	47.	Precast concrete septic tanks	9872 :1981
Covers (Amendment No 3)  50. Precast concrete manhole covers and frames: Part 2 frames  12592 (Part 2):1991  51. Common burnt clay building bricks (Fifth Revision)  Heavy duty burnt clay building bricks (Third Revision)  2180: 1988	48.	Precast concrete blocks for lintels and sills (Amendment No-I)	9893 :1981
50.Precast concrete manhole covers and frames : Part 2 frames12592 (Part 2) :199151.Common burnt clay building bricks (Fifth Revision)1077 : 1992Heavy duty burnt clay building bricks (Third Revision)2180 : 1988	49.		12592 (Part 1): 1988
<b>51.</b> Common burnt clay building bricks (Fifth Revision) 1077: 1992 Heavy duty burnt clay building bricks (Third Revision) 2180: 1988	50		12592 (Part 2) :1991
Heavy duty burnt clay building bricks (Third Revision) 2180: 1988			
	31.		
Burnt clay flat terracing tiles: Part 1 Machine made (Second 2690 (Part 1): 1993		Burnt clay flat terracing tiles: Part 1 Machine made (Second	2690 (Part 1) : 1993
Revision) Burnt clay flat terracing tiles: Part 2 Hand Made (Second 2691 (Part II): 1992			2691 (Part II): 1992
Revision) Burnt clay facing bricks (Second Revision) 2691:1988			
Burnt clay paving bricks (Second Revision 3583: 1988			
52. Mild steel and medium tensile steel bars and hard drawn steel wire  432 (Part I): 1982	<b>52.</b>		432 (Part I): 1982
forconcrete reinforcement Part 1 Mild Steel and medium tensile Steel bars(Third Revision)			
Mild steel and medium tensile steel bars and hard drawn steel wire 432 (Part II): 1982			432 (Part II) · 1982
forconcrete reinforcement Part 2 Hard Drawn Steel wire (Third			132 (1 art 11) . 1702
Revision)			

53.	High strength deformed steel bars and wires for concrete reinforcement(Third Revision) Amendment No.1	1786 : 1985
54.	Unified nomenclature of workmen for civil engineering	10302 : 1982
55.	Aluminium doors, windows and ventilators.	1948 : 1961
56.	Aluminium windows for industrial building (Amendment No.1)	1949 : 1961
57.	Wooden flush doors shutters (Cellular and hollow core type ): Part 2Particle board and hard board face panels (Third revision)	2191 : (Part 2) :1983
58.	Wooden flush doors shutters (Solid core type) Part-1 Ply wood face panels (Sixth Revision)	2202 (Part 1): 1999
59.	Wooden flush doors shutters (Solid core type) Part-2 particle board face panels and hard board (Third Revision)	2202 (Part 2): 1983
60.	Steel doors frames (Second Revision) (Amendment No.2)	4351 : 2003
61.	Wooden side sliding doors	4962 : 1968
62.	Collapsible gate	10521 : 1983
63.	69 Earthquake resistant design & construction of buildings (Second Revision) (Amendment No. 1)	4326 : 1993
64.	Criteria for earthquake resistant design of structures (Fourth Revision) (Amendment No. 1)	1893 : 2002
65.	Improving earthquake resistant low strength masonry buildings – Guidelines (Amendment No. 1)	13828 : 1993
66.	Ductile detailing of reinforced concrete structure subjected to seismic forces	13920 : 1993
67.	Selection, installation and maintenance of automatic fire detection and alarm system (Second Revision)	2189 : 1988
68.	Selection, installation and maintenance of portable first aid fire extinguishers (Third Revision)	2190 : 1992
69.	Installation and maintenance of internal fire hydrants and hose reels on premises (First Revision)	3844 : 1989
70.	Selection, Operation and maintenance of special fire fighting appliances: Part:1 combined foam and crash tender	5896 (Part 1) :1970
71.	Fire Safety of building (General): General Principles of fire grading &classification (First Revision)	1641 : 1988
72.	Fire Safety of buildings (General) : Details of construction (First Revision)	1642 : 1989
73.	Fire safety of buildings (General) : Exposure hazard construction (First Revision)	1643 : 1988
74.	Chequered Cement concrete tiles specification	13801 : 1993
75.	Magnesium oxychloride composition floors (Second Revision)	658 : 1982
76.	Laying Bitumen mastic flooring (Second Revision)	1196 : 1978
77.	Laying of rubber floors (First Revision)	1197 : 1970
78.	Laying, fixing and maintenance of linoleum floor (First Revision)	1198 : 1982
79.	Application of cement and cement lime plaster finishes (First Revision)	1661 : 1972
80.	Laying in situ terrazzo floor finish (First Revision)	2114 : 1984
81.	Application of lime plaster finish (First Revision)	2394 :1984
82.	External rendered finishes	2402 :1963
83.	Laying in-situ cement concrete flooring (First Revision)	2571 :1970
84.	Use of silicate type chemical resistant mortars (First Revision)	4441 1980
85.	White washing and colour washing	6278 1971
86.	Laying of bitumen mastic flooring for industries handling LPG and other light hydrocarbon products	13074 : 1991
87.	Bitumen mastic for flooring (Second Revision)	1195 : 1978

88.	Cement concrete flooring Tiles(First Revision)	1237:1980
89.	Sand for plaster(Second Revision)	1542:1992
	Sound Insulation of non-industrial buildings(Amendment No. 1)	1950:1962
90.	<u> </u>	
91.	Acoustical design of auditoriums and conference halls (Amendment No. 1)	2526:1963
92.	Industrial ventilation of residential buildings(First revision)	3103:1975
93.	Noise reduction in industrial buildings	3483:1965
94.	Acoustics in buildings	9736:1981
95.	Sound Insulation of building and of building elements: part 1	11050(Part1):1984
93.	Airborne sound insulation in buildings and of building elements	11030(1 art1).1704
96.	Sound Insulation of building and of building elements: part 2 impact	11050(Part2):1984
, ,	sound insulation in buildings and of building elements	,
97.	Rating of Sound Insulation of building and of building elements: part	11050(Part3):1984
	3 Airborne sound insulation of facade elements and facades	
98.	Buildings and facilities for the physically handicapped(first revision)	4963:1987
99.	Orientation of buildings:Part1 Non-industrial buildings	7662(Part 1):1974
100.	Retaining wall for hill area: Part 1 Selection type of wall	14458 (Part 1):1998
101.	Retaining wall for hill area: Part 2 Design of retaining / breast walls	14458 (Part 2): 1997
102.	Retaining wall for hill area: Part 3 construction of dry stone walls	14458 (Part 3):1998
103.	Land slide controls	14680 : 1999
104.	Design and construction of floors and roofs with precast	13994:1994
10-	reinforced planks and RC joists	141424004
105.	Design and construction of floors and roofs with	14142:1994
106.	prefabricated brick panel  Construction of floor and roof with RC channel units	14215:1994
100.	precast reinforced concrete planks and joists for flooring	13990:1994
107.	and roofing	13770.1774
108.	prefabricated brick panel and partially precast concrete	14143:1994
	joists for flooring and roofing	
109.	precast reinforced concrete channel unit for construction	14201:1994
440	of floors and roofs	14241 1004
110.	Precast L-panel units for roofing	14241:1994
111.	Measurements of building and civil engineering works: Part 1;	1200(part1):1992
112.	Earthwork(fourth revision)  Measurements of building and civil engineering works: Part 2	1200(part2):1974
114.	concrete(third revision)	1200(part2).1774
113.	Measurements of building and civil engineering works: Part 3	1200(part3):1976
	brickwork(third revision)	
114.	Measurements of building and civil engineering works: Part 4 Stone	1200(part4):1976
	masonry(third revision)	1200/ 45) 1002
115.	Measurements of building and civil engineering works: Part 5 form work(third revision) (Amendment no-1)	1200(part5):1982
116.	Measurements of building and civil engineering works: Part 6	1200(part6):1974
110.	Refractory work(second revision)	1200(pmto).1771
117.	Measurements of building and civil engineering works: Part 7	1200(part7):1972
	Hardware(Second revision) (Amendment no-2)	
118.	Measurements of building and civil engineering works: Part 8 Steel	1200(part8):1993
440	Work & Iron Work(fourth revision)	1200/ (0) 1072
119.	Measurements of building and civil engineering works: Part 9 Roof	1200(part9):1973
120.	covering(including cladding)( Second revision) (Amendment no-1)  Measurements of building and civil engineering works: Part 10	1200(part10):1973
120.	Ceiling & Lining(Second revision) (Amendment no-2)	1200(part10).17/3
121.	Measurements of building and civil engineering works: Part	1200(part11):1977
1#1.	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	A

(Amendment no-1)  Measurements of building and civil engineering works: Part 12 Plastering & Pointing (Third revision)  123. Measurements of building and civil engineering works: Part 13 white washing, colour Washing, distempering & painting of building surfaces(fifth revision)  124. Measurements of building and civil engineering works: Part 14 Glazing (Third revision)  125. Measurements of building and civil engineering works: Part 15 painting, polishing, warmshing etc. (fourth revision)  126. Measurements of building and civil engineering works: Part 16 laying of water & sewer lines including appurtenant items (third revision)  127. Measurements of building and civil engineering works: Part 19 Ridemolition & dismantling(third revision)  128. Measurements of building and civil engineering works: Part 19 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 21 131. Measurements of building and civil engineering works: Part 22 materials  132. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  133. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  134. Measurements of building and civil engineering works: Part 27 work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision) (Amendment no-3)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship (first revision)  149. Painting concrete,massorry and plasterd surfaces: Part 2 Schedules (first revision)  140. Painting concrete,massorry and plasterd surfaces: Part 1 operations and workmanship (first revision)  141. Painting concrete,massorry and plasterd surfaces: Part 1 operations and workmanship (first revision)  140. Basic requirement for water supply dra		11Paving, floor finishes, dado & skirting(Third revision)	
Plastering & Pointing (Third revision)  123. Measurements of building and civil engineering works: Part 13 white washing,colour Washing,distempering & painting of building surfaces(fifth revision)  124. Measurements of building and civil engineering works: Part 14  Glazing (Third revision)  125. Measurements of building and civil engineering works: Part 15  Iapinting,polishing,varnishing etc. (fourth revision)  126. Measurements of building and civil engineering works: Part 16  Iaping of water & sewer lines including apputremant items (third revision)  127. Measurements of building and civil engineering works: Part 16  Iabing of water & sewer lines including apputremant items (third revision)  128. Measurements of building and civil engineering works: Part 19  Water supply,plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 19  Wood work & joinbing & drains (third revision)  130. Measurements of building and civil engineering works: Part 21  Wood work & joinbing & drains (third revision)  131. Measurements of building and civil engineering works: Part 22  Iaping(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28  Sound insulation works  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 2 Schedules  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete,masonry and plasterd surfaces:Part 1  Painting concrete,masonry and plasterd surfaces:Part 1  Painting concrete,masonry and plasterd surfaces:Part 1  Painting concrete,masonry an			
Measurements of building and civil engineering works: Part 13 white washing, colour Washing, distempering & painting of building surfaces(fifth revision)	122.		1200(part12):1976
washing,colour Washing, distempering & painting of building surfaces(fifth revision)  124. Measurements of building and civil engineering works: Part 14  [Javing (Third revision)  125. Measurements of building and civil engineering works: Part 15  [Javing of water & sewer lines including apputrement items (third revision)  127. Measurements of building and civil engineering works: Part 16  [Javing of water & sewer lines including apputrement items (third revision)  128. Measurements of building and civil engineering works: Part 1  [Javing of water & sewer lines including apputrement items (third revision)  129. Measurements of building and civil engineering works: Part 19  [Javing of water & sewer lines including apputrement works: Part 19  [Javing of water & sewer lines including apputrement nor-1)  [Javing of water & sewer lines including apputrement works: Part 21  [Javing of work & joinery (second revision) (Amendment nor-1)  [Javing of work & joinery (second revision) (Amendment nor-1)  [Javing of work & joinery (second revision) (Amendment nor-1)  [Javing of work & joinery (second revision) (Amendment nor-1)  [Javing of work & joinery (second revision) (Amendment nor-1)  [Javing of work & joinery (second revision) (Amendment nor-1)  [Javing of work & joinery (second revision) (Amendment nor-1)  [Javing of work & joinery (second works: Part 23  [Javing of work & joinery (second revision) (Amendment nor-3)  [Javing of work & joinery (second works: Part 27 Earth work done by mechanical appliences  [Javing of work & work of building and civil engineering works: Part 27 Earth work done by mechanical appliences  [Javing of work & work of building and civil engineering works: Part 28  [Javing of work & work of building and civil engineering works: Part 28  [Javing of work & work of building and civil engineering works: Part 28  [Javing of work of building and civil engineering works: Part 28  [Javing of work of building and civil engineering works: Part 28  [Javing of work of building and civil engineering works	100		1200/ (12) 1004
surfaces(fifth revision)  124. Measurements of building and civil engineering works: Part 14 Glazing (Third revision)  125. Measurements of building and civil engineering works: Part 15 painting, polishing, varnishing etc. (fourth revision)  126. Measurements of building and civil engineering works: Part 16 laying of water & sewer lines including appurtenant items (third revision)  127. Measurements of building and civil engineering works: Part 18 laying of water & sewer lines including appurtenant items (third revision)  128. Measurements of building and civil engineering works: Part 19 Water supply, plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 21 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28 Sound insulation works  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete, masonry and plasterd surfaces:Part 2 Schedules (first revision)  141. Painting concrete, masonry and plasterd surfaces:Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in buildings (Second revision)  2470(part 1):1985  2470(part 1):1985  2470(	123.		1200(part13):1994
Measurements of building and civil engineering works: Part 14   1200(part14):1984			
Glazing (Third revision)  125. Measurements of building and civil engineering works: Part 15 painting,polishing,varnishing etc. (fourth revision)  126. Measurements of building and civil engineering works: Part 16 laying of water & sewer lines including appurtenant items (third revision)  127. Measurements of building and civil engineering works: Part 18 Remolition & dismantling(third revision)  128. Measurements of building and civil engineering works: Part 19 Water supply,plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 21 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28 Sound insulation works  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship of wood & wood based materials:Part 2 Schedules  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete,masonry and plasterd surfaces:Part 2 Schedules (first revision)  141. Painting concrete,masonry and plasterd surfaces:Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Pa	404		1200/ (14) 1004
125.   Measurements of building and civil engineering works: Part 15   1200(part15):1987	124.		1200(part14):1984
painting_polishing_vamishing etc. (fourth revision)  Measurements of building and civil engineering works: Part 16 laying of water & sewer lines including appurtenant items (third revision)  127. Measurements of building and civil engineering works: Part 1 l8demolition & dismantling(third revision)  128. Measurements of building and civil engineering works: Part 19 Water supply_plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 21 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 2 Schedules  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete,masonry and plasterd surfaces:Part 2  2395(part 1):1994  2395(part 1):1994  2406:1983  2470(part 2):1985  141. Painting concrete,masonry and plasterd surfaces:Part 1  2506:1983  144. Basic requirement for water supply drainage and sanitation(fourth revision)  141. Painting concrete,masonry and plasterd surfaces:Part 2  2606:1983  144. Basic requirement for water supply drainage and sanitation(fourth revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 second	105		1200/ (15) 1007
Measurements of building and civil engineering works: Part 16   laying of water & sewer lines including appurtenant items (third revision)	125.		1200(part15):1987
laying of water & sewer lines including appurtenant items (third revision)  127. Measurements of building and civil engineering works: Part 18demolition & dismantling(third revision)  128. Measurements of building and civil engineering works: Part 19 1200(part19):1981  Water supply,plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 21 1200(part21):1973  Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 1200(part22):1982 materials  131. Measurements of building and civil engineering works: Part 23 1200(part22):1988 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28 Sound insulation works  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision) (Amendment no-3)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete,masonry and plasterd surfaces :Part 1 0 perations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 1 2 2395(part 1):1994  142. Painting concrete,masonry and plasterd surfaces :Part 2 2395(part 2):1994  Schedules (first revision)  143. Building drainage(Second revision)  144. Painting concrete,masonry and plasterd surfaces :Part 2 2395(part 2):1994  Schedules (first revision)  145. Water supply in buildings(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary trea	40.0		1000/ 1000
revision)  127. Measurements of building and civil engineering works: Part 1 1200(part18):1974  128. Measurements of building and civil engineering works: Part 19	126.		1200(part16):19/9
127. Measurements of building and civil engineering works: Part 18demolition & dismantling(third revision)  128. Measurements of building and civil engineering works: Part 19 Water supply.plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 21 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 1200(part22):1982 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28 Sound insulation works  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete, masonry and plasterd surfaces: Part 1 operations and workmanship (first revision)  141. Painting concrete, masonry and plasterd surfaces: Part 2 2395(part 1):1994  Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)			
128. Measurements of building and civil engineering works: Part 19 Water supply.plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 21 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of building and civil engineering works: Part 28 Sound insulation works  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision) (Amendment no-3)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 1 operations and workmanship (first revision)  140. Painting concrete,masonry and plasterd surfaces: Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces: Part 1 operations and workmanship (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank secondary treatment and disposal of septic tank secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disp			1200( 10) 1071
128. Measurements of building and civil engineering works: Part 19   1200(part19):1981	127.		1200(part18):1974
Water supply,plumbing & drains (third revision)  129. Measurements of building and civil engineering works: Part 21 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28 Sound insulation works  136. Measurements of plinth,carpet & rentable area of buildings (first revision) (Amendment no-3)  137. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  138. Finishing of wood & wood based materials:Part 2 Painting (first revision)  139. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete,masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces:Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and			1000
129. Measurements of building and civil engineering works: Part 21 Wood work & joinery (second revision) (Amendment no-1)  130. Measurements of building and civil engineering works: Part 22 1200(part22):1982 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28 1200(part27):1992  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision) (Amendment no-3)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete.masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)  141. Painting concrete.masonry and plasterd surfaces:Part 2 2395(part 1):1994 and workmanship (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)	128.		1200(part19):1981
Wood work & joinery (second revision) (Amendment no-1)			
130. Measurements of building and civil engineering works: Part 22 materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  135. Measurements of building and civil engineering works: Part 28 Sound insulation works  136. Painting of pilnth, carpet & rentable area of buildings (first revision) (Amendment no-3)  137. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  138. Finishing of wood & wood based materials:Part 2 Painting (first revision)  139. Finishing of wood & wood based materials:Part 1 operations and workmanship  140. Painting concrete, masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)  141. Painting concrete, masonry and plasterd surfaces:Part 2 Schedules  142. Schedules (first revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)	129.		1200(part 21):1973
materials  131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth,carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  147. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)			
131. Measurements of building and civil engineering works: Part 23 pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete, masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)  141. Painting concrete, masonry and plasterd surfaces:Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)	130.		1200(part22):1982
pilling(fourth revision)  132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144. Painting concrete, masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)  141. Painting concrete, masonry and plasterd surfaces:Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  147. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)			
132. Measurements of building and civil engineering works: Part 24 Well foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete, masonry and plasterd surfaces: Part 1 operations and workmanship (first revision)  141. Painting concrete, masonry and plasterd surfaces: Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  147. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondar	131.		1200(part23):1988
foundation (third revision)  133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings: Part 1 Pretreatment (first revision)  137. Painting of ferrous metals in buildings: Part 2 Painting (first revision)  138. Finishing of wood & wood based materials: Part 1 operations and workmanship  139. Finishing of wood & wood based materials: Part 2 Schedules  140. Painting concrete, masonry and plasterd surfaces: Part 1 operations and workmanship (first revision)  141. Painting concrete, masonry and plasterd surfaces: Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation (fourth revision)  143. Building drainage (Second revision)  144. Selection, installation and maintenance of sanitary appliances (Second revision)  145. Water supply in building (Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction (Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal of septic tanks: Part 2 secondary treatment and disposal part 2 470(part 2):1985			
133. Measurements of building and civil engineering works: Part 27 Earth work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth,carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part1):1967  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)	132.		1200(part24):1983
work done by mechanical appliences  134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part1):1967  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)		· · · · · · · · · · · · · · · · · · ·	
134. Measurements of building and civil engineering works: Part 28 Sound insulation works  135. Measurements of plinth,carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part2):1967  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)	133.		1200(part27):1992
Sound insulation works  135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  140. Painting concrete,masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces:Part 2 2395(part 1):1994  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)			
135. Measurements of plinth, carpet & rentable area of buildings (first revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part1):1967  140. Painting concrete, masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)  141. Painting concrete, masonry and plasterd surfaces:Part 2 2395(part 1):1994  Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)	134.		1200(part28):1992
revision) (Amendment no-3)  136. Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part1):1967  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)			
136.Painting of ferrous metals in buildings:Part 1 Pretreatment(first revision)1477(part1):1971137.Painting of ferrous metals in buildings:Part 2 Painting (first revision)1477(part2):1971138.Finishing of wood & wood based materials:Part 1 operations and workmanship2338(part1):1967139.Finishing of wood & wood based materials:Part 2 Schedules144 2338(part2):1967140.Painting concrete,masonry and plasterd surfaces:Part 1 operations and workmanship (first revision)2395(part 1):1994141.Painting concrete,masonry and plasterd surfaces:Part 2 Schedules (first revision)2395(part 2):1994142.Basic requirement for water supply drainage and sanitation(fourth revision)1172:1993143.Building drainage(Second revision)1742:1983144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985	135.		140 3861:1975
revision)  137. Painting of ferrous metals in buildings:Part 2 Painting (first revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part2):1967  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2395(part 2):1994  2395(part 2):1994  2395(part 2):1994  2395(part 2):1993  2470(part 1):1985			
137.Painting of ferrous metals in buildings:Part 2 Painting (first revision)1477(part2):1971138.Finishing of wood & wood based materials:Part 1 operations and workmanship2338(part1):1967139.Finishing of wood & wood based materials:Part 2 Schedules144 2338(part2):1967140.Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)2395(part 1):1994141.Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)2395(part 2):1994142.Basic requirement for water supply drainage and sanitation(fourth revision)1172:1993143.Building drainage(Second revision)1742:1983144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)	136.		1477(part1):1971
revision)  138. Finishing of wood & wood based materials:Part 1 operations and workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part2):1967  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2338(part1):1967  2395(part 1):1994  2395(part 2):1994  2395(part 2):1994  2395(part 2):1994  2395(part 2):1994  2395(part 2):1994  2395(part 2):1994  2470(part 1):1985			
138.Finishing of wood & wood based materials:Part 1 operations and workmanship2338(part1):1967139.Finishing of wood & wood based materials:Part 2 Schedules144 2338(part2):1967140.Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)2395(part 1):1994141.Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)2395(part 2):1994142.Basic requirement for water supply drainage and sanitation(fourth revision)1172:1993143.Building drainage(Second revision)1742:1983144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985	137.		1477(part2):1971
workmanship  139. Finishing of wood & wood based materials:Part 2 Schedules  144 2338(part2):1967  140. Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2  Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2470(part 2):1985			
139.Finishing of wood & wood based materials:Part 2 Schedules144 2338(part2):1967140.Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)2395(part 1):1994141.Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)2395(part 2):1994142.Basic requirement for water supply drainage and sanitation(fourth revision)1172:1993143.Building drainage(Second revision)1742:1983144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985	138.		2338(part1):1967
140.Painting concrete,masonry and plasterd surfaces :Part 1 operations and workmanship (first revision)2395(part 1):1994141.Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)2395(part 2):1994142.Basic requirement for water supply drainage and sanitation(fourth revision)1172:1993143.Building drainage(Second revision)1742:1983144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985		workmanship	
and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2395(part 2):1994  2395(part 2):1994  2395(part 2):1994  2470(part 2):1985	139.	Finishing of wood & wood based materials:Part 2 Schedules	144 2338(part2):1967
and workmanship (first revision)  141. Painting concrete,masonry and plasterd surfaces :Part 2 Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2395(part 2):1994  2395(part 2):1994  2395(part 2):1994  2470(part 2):1985	140.	Painting concrete,masonry and plasterd surfaces :Part 1 operations	2395(part 1):1994
Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2470(part 2):1985			
Schedules (first revision)  142. Basic requirement for water supply drainage and sanitation(fourth revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2470(part 1):1985	141.		2395(part 2):1994
142.Basic requirement for water supply drainage and sanitation(fourth revision)1172:1993143.Building drainage(Second revision)1742:1983144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985			
revision)  143. Building drainage(Second revision)  144. Selection, installation and maintenance of sanitary appliances(Second revision)  145. Water supply in building(Second revision)  2065:1983  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2470(part 2):1985	142.		1172:1993
143.Building drainage(Second revision)1742:1983144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985			
144.Selection, installation and maintenance of sanitary appliances(Second revision)2064:1983145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985	143.		1742:1983
appliances(Second revision)  145. Water supply in building(Second revision)  2065:1983  146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)  2470(part 1):1985  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2470(part 2):1985		-	
145.Water supply in building(Second revision)2065:1983146.Installation of septic tanks: Part 1 design, criteria and construction(Second revision)2470(part 1):1985147.Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)2470(part 2):1985	177.		
<ul> <li>146. Installation of septic tanks: Part 1 design, criteria and construction(Second revision)</li> <li>147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)</li> <li>2470(part 1):1985</li> <li>2470(part 2):1985</li> </ul>	145		2065:1983
construction(Second revision)  147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2470(part 2):1985			
147. Installation of septic tanks: Part 2 secondary treatment and disposal of septic tank effluent (Second revision)  2470(part 2):1985	140.		24/0(part 1).1903
of septic tank effluent (Second revision)	1 47		2470(part 2):1095
	147.		2470(part 2).1983
	148.	Laying of cast iron pipes(Second revision)	3114:1994

149.	Ancillary structures in sewerage system: Part 1	4111(Part 1):1986
147,	Manholes(first revision)	4111(1 att 1).1700
150.	Ancillary structures in sewerage system: Part 2 flushing tanks(first revision)	4111(Part 2):1986
151.	Laying of glazed stoneware pipes(first revision)	4127:1983
152.	Sanitary pipe works above ground for buildings (first revision)	12183(part 1):1987
153.	Drainage of building's basement	12251:1987
154.	Steel tubular scaffolding:Part2 Safety regulations for scaffolding	4014(part 2):1967
155.	Preventive measures against hazards at work places: Part 1 falling material hazards prevention	13416(part 1):1992
156.	Preventive measures against hazards at work places: Part 2 fall prevention	13416(part 2):1992
157.	Preventive measures against hazards at work places: Part3 disposal of debris	13416(part 3):1994
158.	Preventive measures against hazards at work places: Part4 timber structures	13416(part 4):1994
159.	Preventive measures against hazards at work places: Part5 timber structures	165 13416(part 5):1994
160.	Marble(blocks,slabs and titles)	1130:1969
161.	Sandstone(slabs and titles)(first revision)	3622:1977
162.	Design loads(other than earthquake) for buildings and structures Part 1 Dead Load-unit weights of building	875(part 1):1987
163.	Design loads(other than earthquake) for buildings and structures Part 2 Imposed Load (second revision)	875(part 2):1987
164.	Aluminium bulb angles Marine application(first revision)	6449:1987
165.	Aluminium channels(first revision)	3921:1985
166.	Aluminium equal leg angles(first revision)	3908:1986
167.	Aluminium I-beam(first revision)	5384:1985
168.	Aluminium T-bars for Marine application(first revision)	6475:1987
169.	Aluminium T sections(first revision)	6445:1985
170.	Aluminium unequal leg angles(first revision)	3909:1986
171.	Light Gauge structural steel sections(revised)	811:1987
172.	Door and Window shutters and frames	12896:1990
173.	Furniture and cabinets	13662:1993
174.	Bamboos for structural purposes	9096:1979
175.	Lime concrete for a water proofed roof finish(second revision)	3036:1992
176.	Application of bituminous mastic for water proofing of roofs	4365:1967
177.	Water proofing of underground water reservoirs and swimming pools(first revision)	6494:1988
178.	Damp-proofing using bituminous mastic	7198:1974
179.	Bituminous mastic for use in water proofing of roofs(first revision)	3037:1986
180.	Silicon based water repellents	12027:1987

## NOTE

- 1 The details of items under this schedule shall be read in conjunction with the corresponding specifications, drawings and other Tender Documents.
- The work shall be carried out as per drawings, specifications, the description of the items in this schedules and / or Engineer's instructions. Drawings enclosed with these documents are only preliminary for giving some idea of the work involved. Final drawings will be issued progressively during the execution of the works.
- 3 Items of work provided in this schedule but not covered in the specifications shall be executed

as per instruction of the Engineer.

- 4 Unless specifically mentioned otherwise in the contract, the tenderer shall quote rates for the finished items and shall provide for the complete cost towards power, fuel, tools, tackle, equipment, constructional plant, temporary works, rectification maintenance till handling over, supervision, colonies, shops establishments, services, temporary roads, revenue expenses, contingencies, overheads, profits and all incidental items not specifically mentioned but reasonably implied and necessary to complete the works according to the contract.
- 5 Local filling/surface preparation may be required in places for movement machineries/ materials. Contractor has to evaluate this type of work in detail after inspecting the site. Rate shall include this work also and no extra payment shall be paid on account of land filling/surface preparation.
- The quantities of the various items mentioned in this schedule are approximate and may vary upto any extent or be deleted altogether. The quoted rates for each items will remain firm as long as the variation in the total value of the work executed under this contract, including extra items, if any but excluding any price escalation remain with  $\pm 25\%$  (twentyfive percent) of the tendered value of the work. The Contractor, in his own interest, should get an indication of the probable extent of work to be executed under any particular item in this schedule, before undertaking any preliminary work or purchasing bought-out components related to the work.
- Rates shall be quoted both in figures and in words in clear legible writing. No over writing is allowed. All scoring and cancellations should be countersigned by the Tenderer in case of illegibility; the interpretation of the Engineer shall be final.
- 8 Engineer's decision shall be final and binding on the contractor regarding clarification of items in this schedule with respect to the other sections of the contract.
- 9 If any particular of work executed at site is not included in the schedule the measurement and payment for such item of work will be made on the basis of the quoted rate for similar work included in the schedule.
- Time Schedule: The total job for construction work has to be completed within a period of 30months from the date of issue of work order.

## Section E (Cont'd)

DrawingsList of Drawings: -To be procured (if required) from the Office of WBCADC, Ranaghat-II

Project at P.O.- Aranghata, Dist.- Nadia. Any other drawings needed would be supplemented during execution of the work.

Sd/-Officer in Charge W B C A D C, Ranaghat-II Project